

Indices

Reference List and Author Index

All cited works are listed here alphabetically, by (first) author. Each work is assigned a symbol, such as "Ha62," which is used in the text and in references to other parts of the Reference List and Author Index. The numbers in parentheses following each cited work give the section(s) or chapter(s) where the work is referred to. Mere specification of the chapter number of a chapter which has several sections (*e.g.*, 27) means that the cited work is referred to in the *introduction* to Chap. 27; similarly, the numbers (25.3, 25.3a), for example, mean that the cited work is referred to not only in the subsection 25.3a, but also in the *introduction* to Sect. 25.3. The numbers I or II behind a cited work mean that the work is referred to in the *introduction* to Parts I or II. Authors who are not first authors of works are also listed alphabetically. The cut-off date for the references is mid-1966. The Reference List and Author Index pertains only to the main text, and not to the Supplement.

- [Ad63] J.B. Adams, M.A. Ruderman, and C.H. Woo, *Phys. Rev.*, *129*, 1383, 1963 (17.20c).
- [Al64] B. Aleshin, *Russ. A. J.*, *41*, 201, 1964 (21.7, 27.1, 27.7, 27.8).
- [Al64a] B. Aleshin, *Russ. A. J.*, *41*, 1056, 1964 (21.7, 27.1, 27.7, 27.8).
- [Al63] H. Alfvén und C.G. Fälthammar, *Cosmical Electrodynamics* (Oxford: Clarendon Press), 2nd ed., 1963 (17.2, 25.3d).
- [Al63a] C.W. Allen, *Astrophysical Quantities* (London: Athlone Press), 2nd ed., 1963 (0.1, 16.6c, 23.1b).
- [Al54] L.H. Aller, *Nuclear Transformations, Stellar Interiors, and Nebulae* (New York: Ronald Press), 1954 (II, 23.1a, 25.3c).
- [Al61] L.H. Aller, *Abundances of the Elements* (New York: Interscience), 1961 (26).
- [Al63b] L.H. Aller, *Astrophysics: The Atmospheres of the Sun and Stars* (New York: Ronald Press), 2nd ed., 1963 (0, 16.8a).
- [Al65] L.H. Aller and D.B. McLaughlin, eds., *Stellar Structure* (Chicago: University of Chicago Press), 1965 (II).
- [Am61] V.A. Ambartsumyan and G.S. Saakyan, *Russ. A. J.*, *38*, 785, 1961 (26.5a).
- [Ar58] H.C. Arp, *Handbuch der Physik* (ed. S. Flügge), *51*, 83, 1958 (0.3, 26.1b).
- R.G. Athay, *see* Thomas and Athay [Th61a].
- [Au65] J.R. Auman, *Ap. J.*, *142*, 462, 1965 (26.3).
- [Ba44] W. Baade, *Ap. J.*, *100*, 137, 1944 (0.1).
- [Ba62] J.N. Bahcall, *Phys. Rev.*, *128*, 1297, 1962 (17.17b).
- [Ba64] J.N. Bahcall, *Ap. J.*, *139*, 318, 1964 (17.9).
- [Ba65] J.N. Bahcall, *Science*, *147*, 115, 1965 (17.16).
- [Ba66] J.N. Bahcall, *Ap. J.*, *143*, 259, 1966 (17.13).

- [Ba64a'] J. N. Bahcall and S. C. Frautschi, *Phys. Rev.*, 136, Ser. B, 1164 and 1547, 1964 (17.16).
- [Ba64a] J. N. Bahcall and R. A. Wolf, *Ap. J.*, 139, 622, 1964 (17.16).
- [Ba65a] J. N. Bahcall and R. A. Wolf, *Phys. Rev.*, 140, B1445, 1965 (26.5c).
- [Ba65b] J. N. Bahcall and R. A. Wolf, *Phys. Rev.*, 140, B1453, 1965 (26.5c).
J. N. Bahcall, *see* Parker, Bahcall, and Fowler [Pa64a]; Peterson and Bahcall [Pe63].
J. Bahng, *see* Pearce and Bahng [Pe65].
- [Ba63] N. Baker, *private communication*, 1963 (14.7, 20.4, 20.5, 20.6a, 20.6b, 26.3).
- [Ba63a] N. Baker, in Gratton [Gr63], pp. 369ff, 1963 (27.7d).
- [Ba64b] N. Baker, *private communication*, 1964 (20.5, 20.6a, 20.6b).
- [Ba65c] N. Baker, *I.A.U. Symposium on the Position of Variable Stars in the Hertzsprung-Russell Diagram*, 122, 1965 (27.7, 27.7a).
- [Ba66b] N. Baker, in Stein and Cameron [St66a], pp. 333ff, 1966 (27.5, 27.6c, 27.8).
- [Ba62a] N. Baker and R. Kippenhahn, *Z. f. Ap.*, 54, 114, 1962 (9.18, 27.1, 27.2, 27.5, 27.5a, 27.6a, 27.6b, 27.7, 27.7b, 27.7c, 27.7d, 27.8).
- [Ba65d] N. Baker and R. Kippenhahn, *Ap. J.*, 142, 868, 1965 (27.1, 27.2, 27.3, 27.3c, 27.4, 27.5a, 27.6a, 27.6b, 27.7, 27.7a, 27.7b, 27.7c, 27.7d, 27.8).
- [Ba64c] R. H. Baker, *Astronomy* (Princeton: Van Nostrand), 8th ed., 1964 (0).
- [Ba65e] S. Bashkin, in Aller and McLaughlin [Al65], Chap. 1, 1965 (17, 17.18b, 17.18c, 26, 26.1b).
- [Be39] H. A. Bethe, *Phys. Rev.*, 55, 434, 1939 (17.16).
- [Be38] H. A. Bethe and C. L. Critchfield, *Phys. Rev.*, 54, 248, 1938 (17.16).
- [Be56] H. A. Bethe and P. Morrison, *Elementary Nuclear Theory* (New York: John Wiley), 2nd ed., 1956 (17.18, 17.19, 17.19b).
P. L. Bhatnagar, *see* Menzel, Bhatnagar, and Sen [Me63].
W. G. Bickley, *see* Temple and Bickley [Te56].
J. Bierlaire, *see* Ledoux, Simon, and Bierlaire [Le55a].
- [Bl52] J. M. Blatt and V. F. Weisskopf, *Theoretical Nuclear Physics* (New York: John Wiley), 1952 (17.8, 17.9, 17.9a, 17.9b, 17.10, 17.11).
- [Bl65] J. B. Blizard, *private communication*, 1965 (17.16).
- [Bo65] P. Bodenheimer, *Ap. J.*, 142, 451, 1965 (26.1b).
- [Bo66] P. Bodenheimer, *Ap. J.*, 144, 103, 1966 (26.1b, 26.2b, 26.2c).
- [Bo65a] P. Bodenheimer, J. E. Forbes, N. L. Gould, and L. G. Henyey, *Ap. J.*, 141, 1019, 1965 (26.2c).
P. L. Bodenheimer, *see* Henyey, Vardya and Bodenheimer [He65].
K. H. Böhm, *see* Henyey, Wilets, Böhm, LeLevier, and Levée [He59]; Vardya and Böhm [Va65].
- [Bö58] E. Böhm-Vitense, *Zs. f. Ap.*, 46, 108, 1958 (14, 14.3, 14.5, 14.8, 20.5, 20.6a).
- [Bö61] E. Böhm-Vitense, in Thomas [Th61], pp. 330ff, 1961 (23.5a).
- [Bo50] C. M. Bondi and H. Bondi, *M.N.*, 110, 287, 1950 (23.6).
H. Bondi, *see* Bondi and Bondi [Bo50].
- [Bo59] M. Born and E. Wolf, *Principles of Optics* (New York: Pergamon Press), 1959 (2.1c, 2.10, 2.10a, 2.10d).
- [Bo64] A. Boury, M. Gabriel, and P. Ledoux, *Ann. d'Ap.*, 27, 92, 1964 (27.6c).
- [Bo65b] A. Boury and P. Ledoux, *Ann. d'Ap.*, 28, 353, 1964 (27.6a).
R. N. Bracewell, *see* Pawsey and Bracewell [Pa61].
- [Br63] J. J. Brandstatter, *An Introduction to Waves, Rays, and Radiation in Plasma Media* (New York: McGraw-Hill), 1963 (2.10).

- [Br62] W.E. Brittin and W.R. Chappell, *Rev. Mod. Phys.*, *34*, 620, 1962 (2.10).
- [Br61] R.R. Brownlee and A.N. Cox, *Sky and Telescope*, *21*, 252, 1961 (26.2c).
R.R. Brownlee, *see* Cox, Brownlee, and Eilers [Co66e]; Sears and Brownlee [Se65].
- [Bu57] E.M. Burbidge, G.R. Burbidge, W.A. Fowler, and F. Hoyle, *Rev. Mod. Phys.*, *29*, 547, 1957 (3.1, 17, 17.9a, 17.18b, 17.18c, 26, 26.1b).
- [Bu58] E.M. Burbidge and G. Burbidge, *Handbuch der Physik* (ed. S. Flügge), *51*, 134, 1958 (21.6, 26, 26.2a).
E.M. Burbidge, *see* Hoyle, Fowler, Burbidge, and Burbidge [Ho64d].
- [Bu60] G.R. Burbidge, F.D. Kahn, R. Ebert, S. Von Hoerner, and S. Temesváry, *Die Entstehung von Sternen* (Berlin: Springer-Verlag), 1960 (26.2a).
G.R. Burbidge, *see* Burbidge, Burbidge, Fowler, and Hoyle [Bu57]; Burbidge and Burbidge [Bu58]; Hoyle, Fowler, Burbidge, and Burbidge [Ho64d].
- [Ca59] A.G. W. Cameron, *Ap. J.*, *130*, 916, 1959 (17.15, 25.4, 25.5).
- [Ca59a] A.G. W. Cameron, *Ap. J.*, *130*, 884, 1959 (26.5a).
- [Ca62] A.G. W. Cameron, *Icarus*, *1*, 13, 1962 (17.5).
- [Ca62a] A.G. W. Cameron, *Icarus*, *1*, 339, 1962 (17.5).
A.G. W. Cameron, *see* Ezer and Cameron [Ez62]; Ezer and Cameron [Ez65]; Stein and Cameron [St66a].
- [Ca65] R. C. Cameron, in *Introduction to Space Science*, ed. W. N. Hess (N.Y.: Gordon and Breach), Chap. 21, 1965 (II,26).
R. C. Cameron, *see* Hayashi and Cameron [Ha62].
- [Ch39] S. Chandrasekhar, *Introduction to the Study of Stellar Structure* (Chicago: University of Chicago Press), 1939 (also as a Dover publication, 1957). (II, 2, 2.1b, 9, 9.2, 9.8, 9.17, 11, 12, 15.1, 16, 18, 23.1a, 23.1b, 23.6c, 24, 24.1, 24.2a1, 24.6c, 24.7a, 24.8a, 25, 25.1, 25.1g, 26.5a).
- [Ch51] S. Chandrasekhar, in Hynek [Hy51], pp. 598ff, 1951 (II, 1.2, 9.17, 16, 23.4d).
- [Ch61] S. Chandrasekhar, *Hydrodynamic and Hydromagnetic Stability* (Oxford: Clarendon Press), 1961 (17.2).
- [Ch65] S. Chandrasekhar, *Ap. J.*, *142*, 1519, 1965 (13).
- [Ch53] S. Chandrasekhar and E. Fermi, *Ap. J.*, *118*, 116, 1953 (17.2).
S. Chandrasekhar, *see* Schönberg and Chandrasekhar [Sc42].
- [Ch52] S. Chapman and T.G. Cowling, *The Mathematical Theory of Non-Uniform Gases* (Cambridge: At the University Press), 2nd ed., 1952 (16.7).
- [Ch65a] W.R. Chappell, *Ph. D. Thesis (JILA Report No. 35)*, University of Colorado, 1965 (2.3, 2.4, 2.10, 2.10a, 2.10d, 3.5).
W.R. Chappell, *see* Brittin and Chappell [Br62].
- [Ch65b] C. Chin, *Ap. J.*, *142*, 1481, 1965 (2.8a3, 16.6a).
- [Ch65c] C. Chin, H.-Y. Chiu, and R. Stothers, *preprint*, 1965 (17.20c, 25.3b, 25.6a).
- [Ch61a] H.-Y. Chiu, *Phys. Rev.*, *123*, 1040, 1961 (24.9).
- [Ch64] H.-Y. Chiu, *Ann. Phys.*, *26*, 364, 1964 (25.5, 26.5b, 26.5c).
- [Ch65d] H.-Y. Chiu, in Robinson, Schild, and Schucking [Ro65], pp. 405ff, 1965 (26.5, 26.5c, 26.5b).
- [Ch64a] H.-Y. Chiu and W.F. Hoffmann, eds., *Gravitation and Relativity* (New York: W. A. Benjamin, Inc.), 1964.
- [Ch64b] H.-Y. Chiu and E. E. Salpeter, *Phys. Rev. Lett.*, *12*, 413, 1964 (26.5c).
H.-Y. Chiu, *see* Chin, Chiu, and Stothers [Ch65c].
- [Ch62] R. F. Christy, *Ap. J.*, *136*, 887, 1964 (27.1, 27.6c, 27.7).

- [Ch63] R.F. Christy, *A. J.*, 68, 275, 1963 (27.1, 27.7).
 [Ch63a] R.F. Christy, *A. J.*, 68, 534, 1963 (27.1, 27.7).
 [Ch64c] R.F. Christy, *Rev. Mod. Phys.*, 36, 555, 1964 (21.7, 27.1, 27.4, 27.7, 27.7b, 27.8).
 [Ch66] R.F. Christy, in Thomas [Th67], 1967 (21.7).
 [Ch66a] R.F. Christy, *Ap. J.*, 144, 108, 1966 (2.6, 21.7, 27.1, 27.4, 27.7, 27.7a, 27.7b, 27.8).
 [Ch66b] R.F. Christy, *Ann. Rev. of Astron. and Ap.*, 4, 353, 1966 (27, 27.3c).
 [Ch66c] R.F. Christy, *Ap. J.*, 145, 340, 1966 (27.1).
 [Cl64] J.F. Clarke and M. McClesney, *Dynamics of Real Gases* (Washington: Butterworth), 1964 (15.5b).
 [Cl65] F.E. Clifford and R.J. Tayler, *Mem. Roy. Astron. Soc.*, 69, 21, 1965 (3.1).
 [Co62] S.A. Colgate, W.H. Grasberger and R.A. White, *J. Phys. Soc. Japan, Suppl.*, A3, 157, 1962 (21.7).
 [Co66] S.A. Colgate and R.H. White, *Ap. J.*, 143, 626, 1966 (17.1, 17.16, 21.7, 26.1a, 26.5).
 [Co66a] S.A. Colgate and R. H. White, in Stein and Cameron [St66a], pp. 291ff, 1966 (21.7).
 [Co35] E.U. Condon and G.H. Shortley, *The Theory of Atomic Spectra* (Cambridge: Cambridge University Press), 1935 (also as a Cambridge paperback, 1963) (16.8f).
 [Co34] N.B. Conkwright, *Differential Equations* (New York: McMillan), 1934 (9.8).
 [Co66b] J. Cooper, *JILA Report No. 79*, 1966 (15.5, 15.5a).
 P.S. Conti, see Wallerstein, Herbig, and Conti [Wa65].
 [Co57] T.G. Cowling, *Magnetohydrodynamics* (New York: Interscience), 1957 (25.3d).
 T.G. Cowling, see Chapman and Cowling [Ch52].
 [Co64] A.N. Cox, *J. Quant. Spectr. and Rad. Transfer*, 4, 737, 1964 (27.2).
 [Co65] A.N. Cox, in Aller and McLaughlin [Al65], Chap. 3, 1965 (15.5, 15.5a, 15.6, 16, 16.1, 16.2, 16.4, 16.5, 16.6c, 16.7, 16.8, 16.8a, 16.8e, 27.2).
 [Co66c] A.N. Cox, in Stein and Cameron [St66a], pp. 123ff, 1966 (16).
 [Co66d] A.N. Cox, in Thomas [Th67], 1967 (21.7).
 [Co66e] A.N. Cox, R.R. Brownlee and D.D. Eilers, *Ap. J.*, 144, 1024, 1966 (14.8, 21.7, 27.2, 27.8).
 [Co65a] A.N. Cox, J.N. Stewart, and D.D. Eilers, *Ap. J. Suppl.*, 11, 1 (No. 94), 1965 (16.9, 27.2).
 A.N. Cox, see Brownlee and Cox [Br61]; Cox, Cox, and Olsen [Co63a]; Cox, Cox, Olsen, King, and Eilers [Co66h]; Eilers, Cox, and Cox [Ei66].
 [Co55] J.P. Cox, *Ap. J.*, 122, 286, 1955 (27.3c, 27.6a, 27.6b).
 [Co59] J.P. Cox, *Ap. J.*, 130, 296, 1959 (27.7a, 27.7d).
 [Co63] J.P. Cox, *Ap. J.*, 138, 487, 1963 (27.1, 27.5, 27.5b, 27.5b, 27.6a, 27.6b, 27.7, 27.7a, 27.7b, 27.7c, 27.7d).
 [Co66f] J.P. Cox, in Stein and Cameron [St66a], pp. 347ff, 1966 (21.7, 27.1, 27.7).
 [Co66g] J.P. Cox, in Thomas [Th67], 1967 (27).
 [Co63a] J.P. Cox, A.N. Cox, and K.H. Olsen, *Ap. J.*, 68, 276, 1963 (27.1, 27.7).
 [Co66h] J.P. Cox, A.N. Cox, K.H. Olsen, D.S. King, and D.D. Eilers, *Ap. J.*, 144, 1038, 1966 (21.7, 27, 27.1, 27.2, 27.6b, 27.7, 27.7b, 27.8).
 [Co61] J.P. Cox and R.T. Giuli, *Ap. J.*, 133, 755, 1961 (23.4c).
 [Co61a] J.P. Cox and E.E. Salpeter, *Ap. J.*, 133, 764, 1961 (23.6).
 [Co64a] J.P. Cox and E.E. Salpeter, *Ap. J.*, 140, 485, 1964 (18, 18.1, 21.1d, 23.4, 23.6, 25.3a, 25.4, 26.4e).

- [Co58] J.P. Cox and C.A. Whitney, *Ap. J.*, 127, 561, 1958 (27.1, 27.7, 27.7a).
 J.P. Cox, *see* Eilers, Cox, and Cox [Ei66]; King, Cox, and Eilers [Ki66a];
 Langer, Herz, and Cox [La66].
 C.L. Critchfield, *see* Bethe and Critchfield [Be38].
- [Cr66] W.M. Cronyn, *Ap. J.*, 144, 834, 1966 (2.9).
- [Da59] R. Davis and D.S. Harmer, *Bull. Am. Phys. Soc.*, 4, 217, 1959 (17.16).
- [Da62] J. Dawson and C. Oberman, *Phys. Fluids*, 5, 517, 1962 (2.9, 2.10b).
- [de62] S. R. de Groot and P. Mazier, *Non-Equilibrium Thermodynamics* (New York: Interscience), Chap. 9, 1962 (9).
- [De64] W. Deinzer and E.E. Salpeter, *Ap. J.*, 140, 499, 1964 (13, 17.18a, 17.18b, 21.1a, 23.5, 23.6c, 26.4e).
- [De65] W. Deinzer and E.E. Salpeter, *Ap. J.*, 142, 813, 1965 (17.19).
- [De60] J.L. Deicroix, *Introduction to the Theory of Ionized Gases* (New York: Interscience), 1960 (17.15).
- [De60a] P. Demarque, *Ap. J.*, 132, 366, 1960 (26.3).
- [De61] P. Demarque, *Ap. J.*, 134, 9, 1961 (26.3).
- [De64a] P.R. Demarque and R.B. Larson, *Ap. J.*, 140, 544, 1964 (26.3).
 P.R. Demarque, *see* Roeder and Demarque [Ro66].
- [De66] S. Demers and J.D. Fernie, *Ap. J.*, 144, 440, 1966 (27.1).
- [Di58] P.A.M. Dirac, *The Principles of Quantum Mechanics* (Oxford: Clarendon Press), 4th ed., 1958 (2.8a1, 2.8a2).
- [Di65] T.N. Divine, *Ap. J.*, 142, 824, 1965 (14.7, 17.18b, 26.4e).
- [Di65a] T.N. Divine, *Ap. J.*, 142, 1652, 1965 (24.4).
- [Du53] D.N.F. Dunbar, R.E. Pixley, W.A. Wenzel, and W. Whaling, *Phys. Rev.*, 92 649, 1953 (17.18a).
- R. Ebert, *see* Burbidge, Kahn, Ebert, Von Hoerner, and Temesváry [Bu60].
- [Ec65] G. Ecker and W. Kroll, *JILA Report No. 37*, 1965 (15.5, 15.5a).
- [Ec65a] G. Ecker and W. Kroll, *Phys. Fluids*, 8, 354, 1965 (15.5a).
- [Ed26] A.S. Eddington, *Internal Constitution of the Stars* (Cambridge: At the University Press), 1926 (also a Dover Publication, 1959) (II, 3.1, 15.5b, 19.2a, 20.3, 23.1a, 23.2, 26.5d, 27, 27.4, 27.6b).
- [Ed27] A.S. Eddington, *M.N.*, 87, 539, 1927 (27.3).
- [Ed41] A.S. Eddington, *M.N.*, 101, 177, 1941 (27.7).
- [Ed41a] A.S. Eddington, *M.N.*, 101, 182, 1941 (27.7).
- [Ed61] T.W. Edwards, *private communication*, 1961 (24.4, 24.9).
- [Ed66] T.W. Edwards, *private communication*, 1966 (24.4).
- [Eg65] O.J. Eggen, *Ann. Rev. of Astron. and Ap.*, 3, 235, 1965 (0, 0.1, 26.1b).
- [Eg66] P. Eggleton, *M.N.*, 132, 479, 1966 (13.1).
 J.R. Ehrman, *see* Iben and Ehrman [Ib62].
- [Ei66] D.D. Eilers, J.P. Cox, and A.N. Cox, *private communication*, 1966 (27.8).
 D.D. Eilers, *see*, Cox, Stewart, and Eilers [Co65a]; Cox, Brownlee, and Eilers [Co66e]; Cox, Cox, Olsen, King, and Eilers [Co66h]; King, Cox, and Eilers [Ki66a].
- [Ei17] A. Einstein, *Phys. Zeits.*, 18, 122, 1917 (2.8a2).
- [Ep50] I. Epstein, *Ap. J.*, 122, 6, 1950 (27.3c, 27.6b).
- [Ep37] P.S. Epstein, *Textbook of Thermodynamics* (New York: John Wiley), 1937 (9).
- [Ez62] D. Ezer and A.G.W. Cameron, *Icarus*, 1, 422, 1962 (23.5, 23.5b, 26.2b, 26.2c).

- [Ez65] D. Ezer and A. G. W. Cameron, *Can. J. Phys.* 43, 1497, 1965 (23.5, 23.5b, 23.5c, 26.2c, 26.3).
- C. G. Fälthammar, *see* Alfvén and Fälthammar [Al63].
- [Fa65] J. Faulkner, K. Griffiths, and F. Hoyle, *M. N.*, 129, 363, 1965 (14, 14.1, 14.6).
- [Fa66] J. Faulkner, *Ap. J.*, 144, 978, 1966 (26, 26.4h, 27.8).
- [Fa66a] J. Faulkner and I. Iben, Jr., *Ap. J.* 144, 995, 1966 (26, 26.4h, 27.8).
- [Fe63] M. W. Feast, *M. N.*, 125, 27, 1963 (27).
- E. Fermi, *see* Chandrasekhar and Fermi [Ch53].
- J. D. Fernie, *see* Demers and Fernie [De66].
- [Fe58] R. P. Feynman and M. Gell-Mann, *Phys. Rev.*, 109, 193, 1958 (17.20).
- J. E. Forbes, *see* Bodenheimer, Forbes, Gould, and Henyey [Bo65a]; Henyey, Forbes, and Gould [He64].
- [Fo58] W. A. Fowler, *Ap. J.*, 127, 551, 1958 (17.16).
- [Fo39] R. Fowler and E. A. Guggenheim, *Statistical Thermodynamics* (Cambridge: At the University Press), 1939 (15.5b, 10.3).
- [Fo64] W. A. Fowler and F. Hoyle, *Ap. J. Suppl.*, 9 (No. 91), 201, 1964 (17.18b, 17.20, 23.2, 23.5, 24, 24.1, 24.9, 24.9a, 24.9b, 26.5b).
- W. A. Fowler, *see* Burbidge, Burbidge, Fowler, and Hoyle [Bu57]; Hoyle and Fowler [Ho60]; Hoyle, Fowler, Burbidge, and Burbidge [Ho64d]; Parker, Bahcall, and Fowler [Pa64a].
- [Fr62] D. Frank-Kamenetskii, *Physical Processes in Stellar Interiors*, English Translation (Jerusalem: Israel Program for Scientific Translations), 1962 (Available from the Office of Technical Services, U.S. Dept. of Commerce, Washington 25, D.C.) (0, 2, 8.1, 16, 16.1, 17.11, 21.3).
- S. C. Frautschi, *see* Bahcall and Frautschi [Ba66a].
- [Ga64] M. Gabriel, *Ann. d'Ap.*, 27, 141, 1964 (27.6a, 27.6c).
- M. Gabriel, *see* Boury, Gabriel, and Ledoux [Bo64].
- [Ga41] G. Gamow and M. Schönberg, *Phys. Rev.*, 59, 539, 1941 (17.20).
- S. Gaposkin, *see* Payne-Gaposkin and Gaposkin [Pa63].
- [Ga63] J. E. Gaustad, *Ap. J.*, 138, 1050, 1963 (17.4, 26.2b).
- M. Gell-Mann, *see* Feynman and Gell-Mann [Fe58].
- [Gi62] V. L. Ginsberg, *Propagation of Electromagnetic Waves in Plasma* (New York: Gordon and Breach), 1962 (2.10).
- R. T. Giuli, *see* Cox and Giuli [Co61].
- [Go50] H. Goldstein, *Classical Mechanics* (Cambridge: Addison-Wesley Press), 1950 (10.4, 10.6, 17.2).
- [Go65] D. O. Gough, Geophysical Fluid Dynamics, II, *Notes on the 1965 Summer Study Program at the Woods Hole Oceanographic Institution*, 1965 (27.6c).
- [Go64] R. J. Gould, *Ap. J.*, 140, 638, 1964 (17.4, 26.2b).
- N. L. Gould, *see* Bodenheimer, Forbes, Gould, and Henyey [Bo65a]; Henyey, Forbes and Gould [He64].
- [Gr65] H. C. Graboske, Jr., *private communication*, 1965 (26.3).
- [Gr61] W. H. Grasberger, *UCRL Report No. 6196*, 1961 (24.4).
- W. H. Grasberger, *see* Colgate, Grasberger, and White [Co62].
- [Gr63] L. Gratton, ed., *Star Evolution* (New York: Academic Press), 1963 (*Proc. of the International School of Physics "Enrico Fermi,"* Course 28) (II, 21.6).
- L. Gratton, *see* Sandage and Gratton [Sa63b].

- [Gr58] J.L. Greenstein, *Handbuch der Physik* (ed. S. Flügge), 51, 161, 1958 (25).
- [Gr60] J.L. Greenstein, ed., *Stellar Atmospheres* (Chicago: University of Chicago Press), 1960.
- [Gr60a] J.L. Greenstein, in Greenstein [Gr60], pp. 687ff, 1960 (25, 25.3c).
- [Gr64] H.R. Griem, *Plasma Spectroscopy* (New York: McGraw-Hill), 1964 (2.10d).
 J.S. Griffith, *see* Roxburgh, Griffith, and Sweet [Ro65d].
 K. Griffiths, *see* Faulkner, Griffiths, and Hoyle [Fa65].
 E.A. Guggenheim, *see* Fowler and Guggenheim [Fo39].
 O.H. Guseynov, *see* Zel'dovich and Guseynov [Ze66].
- [Ha61] T. Hamada and E.E. Salpeter, *Ap. J.*, 134, 683, 1961 (15.5b, 25.1f, 25.3a, 25.4, 26.5a).
- [Ha66] C.J. Hansen, *Ph. D. Thesis*, Yale University, 1966 (17.20, 26.5c).
 C.J. Hansen, *see* Truran and Hansen [Tr67].
 D.S. Harmer, *see* Davis and Harmer [Da59].
- [Hä55] R. Härm and M. Schwarzschild, *Ap. J.*, 121, 445, 1955 (23.6).
- [Hä64] R. Härm and M. Schwarzschild, *Ap. J.*, 139, 594, 1964 (23.5c, 26.4c, 26.4h).
 R. Härm, *see* Schwarzschild and Härm [Sc58c]; Schwarzschild and Härm [Sc59]; Schwarzschild and Härm [Sc62]; Schwarzschild and Härm [Sc65a].
- [Ha58] D.L. Harris, III, *Ap. J.*, 124, 665, 1958 (25.6b).
- [Ha63] D.L. Harris, III, in Strand [St63a], Chap. 14 (0.3).
- [Ha63a] D.L. Harris, III, K.Aa. Strand, and C.E. Worley, in Strand [St63a], Chap. 15 (0.3, 0.4).
- [Ha65] E.G. Harris, *Phys. Rev.*, 138, B479, 1965 (2, 2.4, 2.9, 2.10a).
- [Ha58a] B.K. Harrison, M. Wacano, and J.A. Wheeler, "La Structure et l'évolution de l'Univers," in *Inst. Intern. Phys.*, Stoops, Brussels, 1958; *see also* Wheeler [Wh64] (26.5a).
- [Ha66a] C. Hayashi, *Ann. Rev. Astron. and Ap.*, 4, 171, 1966 (17.4, 26.2, 26.2b).
- [Ha62] C. Hayashi and R.C. Cameron, *Ap. J.*, 136, 166, 1962 (26.4).
- [Ha62a] C. Hayashi, R. Hōshi, and D. Sugimoto, *Prog. Theor. Physics, Suppl.*, No. 22, 1962 (II, 17.4, 17.18b, 20.4b, 20.5, 21, 21.4, 21.6, 23.1a, 23.1b, 23.4d, 23.5, 23.5b, 23.5c, 23.6c, 26, 26.1b, 26.4, 26.4c, 26.4d, 26.4e, 26.4h).
- [Ha65a] C. Hayashi, R. Hōshi, and D. Sugimoto, *Prog. Theor. Phys.* 34, 885, 1965 (23.6c, 26.4e, 26.4h).
- [Ha65b] C. Hayashi and T. Nakano, *Prog. Theor. Phys.*, 34, 754, 1965 (17.4, 26.2b).
- [Ha65c] M. Hayashi, *Publ. Astron. Soc. Japan*, 17, 177, 1965 (26.2c).
 C. Hayashi, *see* S. Sakashita, Y. Ono, and C. Hayashi [Sa59].
- [Ha62b] J. Hazelhurst, *Adv. in Astron. and Ap.* (ed. Z. Kopal), 1, 1, 1962 (26.1b).
- [He54] W. Heitler, *The Quantum Theory of Radiation* (Oxford: Clarendon Press), 3rd ed., 1954 (2, 2.8a1, 2.8a2, 2.8a3, 2.10d, 3.1, 16.3, 16.8d, 16.8e, 16.8g, 17.20b, 24.9).
- [He64] L. G. Henyey, J. E. Forbes, and N. L. Gould, *Ap. J.*, 139, 306, 1964 (14.7, 21.7).
- [He55] L. G. Henyey, R. LeLevier, and R. D. Levée, *P.A.S.P.*, 67, 154, 1955 (26.2c).
- [He65] L. G. Henyey, M.S. Vardya, and P.L. Bodenheimer, *Ap. J.*, 142, 841, 1965 (14, 14.5, 14.7, 26.2c).
- [He59] L. G. Henyey, L. Willets, K. H. Böhm, R. LeLevier, and R. D. Levée, *Ap. J.*, 129, 628, 1959 (14.7, 21.7).
 L. G. Henyey, *see* Bodenheimer, Forbes, Gould, and Henyey [Bo65a].

- [He57] G. H. Herbig, in *Symposium on Non-Stable Stars*, ed. G. H. Herbig (Cambridge: At the University Press), p. 3, 1957 (26.1b).
- [He62] G. H. Herbig, *Adv. in Astron. and Ap.* (ed. Z. Kopal), 1, 47, 1962 (26.1b).
- [He65a] G. H. Herbig, *Ap. J.*, 141, 588, 1965 (26.1b).
- [He66] G. H. Herbig, in Stein and Cameron [St66a], pp. 411ff, 1966 (26.1b).
G. H. Herbig, *see* Wallerstein, Herbig and Conti [Wa65].
M. A. Herz, *see* Langer, Herz, and Cox [La66].
W. F. Hoffmann, *see* Chiu and Hoffmann [Ch64a].
- [Ho65] E. Hofmeister, *I.A.U. Symposium on the Position of Variable Stars in the Hertzsprung-Russell Diagram*, 224, 1965 (26.4, 27.7d, 27.7e).
- [Ho64] E. Hofmeister, R. Kippenhahn, and A. Weigert, *Zs. f. Ap.*, 60, 57, 1964, (13.3, 26.4, 26.4c, 26.4d, 27.1).
- [Ho64a] E. Hofmeister, R. Kippenhahn, and A. Weigert, *Zs. f. Ap.*, 59, 215, 1964 (26.4, 27.1).
- [Ho64b] E. Hofmeister, R. Kippenhahn, and A. Weigert, *Zs. f. Ap.*, 59, 242, 1964 (26.4, 26.4c, 26.4d, 27.1).
- [Ho64c] E. Hofmeister and A. Weigert, *Zs. f. Ap.*, 59, 119, 1964 (14.3).
- [Ho58] H. D. Holmgren and R. L. Johnson, *Bull. Am. Phys. Soc.*, Ser. II, 3, 26, 1958 (17.16).
R. Hōshi, *see* Hayashi, Hōshi, and Sugimoto [Ha62a]; Hayashi, Hōshi, and Sugimoto [Ha65a].
- [Ho54] F. Hoyle, *Ap. J. Suppl.*, 1, 121, 1954 (17.18a, 26.2a).
- [Ho56] F. Hoyle, *Frontiers of Astronomy* (New York: Harper and Brothers), 1956 (26.2a).
- [Ho60] F. Hoyle and W. A. Fowler, *Ap. J.*, 132, 565, 1960 (17.5, 23.2, 25.3b, 26.1a, 26.5b).
- [Ho64d] F. Hoyle, W. A. Fowler, G. R. Burbidge, and E. M. Burbidge, *Ap. J.*, 139, 909, 1964 (26.1a, 26.5, 26.5d).
- [Ho42] F. Hoyle and R. A. Lyttleton, *M. N.*, 102, 218, 1942 (23.6).
- [Ho49] F. Hoyle and R. A. Lyttleton, *M. N.*, 109, 614, 1949 (23.6).
- [Ho55] F. Hoyle and M. Schwarzschild, *Ap. J. Suppl.*, 2, No. 13, 1955 (20.3, 20.4, 20.5).
F. Hoyle, *see* Burbidge, Burbidge, Fowler, and Hoyle [Bu57]; Faulkner, Griffiths, and Hoyle [Fa65]; Fowler and Hoyle [Fo64].
- [Hu65] D. Hummer, in *The Formation of Spectral Lines (Smithsonian Astrophys. Obs. Special Report No. 174)*, pp. 13–28, 1965 (4.1).
- [Hy51] J. A. Hynek, *Astrophysics: A Topical Symposium* (New York: McGraw-Hill), 1951.
- [Ib64] I. Iben, Jr., *Ap. J.*, 140, 1631, 1964 (26.4).
- [Ib65] I. Iben, Jr., *Ap. J.*, 142, 993, 1965 (17.17a, 23.4d, 23.5, 23.5b, 26.2c, 26.3, 26.4c).
- [Ib65a] I. Iben, Jr., *Ap. J.*, 142, 1447, 1965 (26.4, 26.4c).
- [Ib66] I. Iben, Jr., *Ap. J.*, 143, 483, 1966 (26.4, 26.4c, 27.7e).
- [Ib66a] I. Iben, Jr., *Ap. J.*, 143, 505, 1966 (26.4).
- [Ib66b] I. Iben, Jr., *Ap. J.*, 143, 516, 1966 (26.4, 26.4d).
- [Ib62] I. Iben, Jr., and J. R. Ehrman, *Ap. J.*, 135, 770, 1962 (21.1a, 26.3).
- [Ib66c] I. Iben, Jr., and R. J. Talbot, *Ap. J.*, 144, 968, 1966 (26.1b).
I. Iben, Jr., *see* Faulkner and Iben [Fa66].
- [In65] C. L. Inman, *Ap. J.*, 141, 187, 1965 (26.5a, 26.5c).
- [In64] C. I. Inman and M. A. Ruderman, *Ap. J.*, 140, 1025, 1964 (17.20c).

- [Je28] J. Jeans, *Astronomy and Cosmogony* (Cambridge: At the University Press), 1928 (II, 25.5, 27.5b).
- [Jo63] H.L. Johnson, in Strand [St63a], Chap. 11, 1963 (0.3).
- [Jo65] H.L. Johnson, E.E. Mendoza V, and W. Z. Wisniewski, *Ap. J.*, *142*, 1249, 1965 (23.5b, 26.1b).
- R.L. Johnson, *see* Holmgren and Johnson [Ho58].
- F.D. Kahn, *see* Burbidge, Kahn, Ebert, Von Hoerner, and Temesváry [Bu60].
- [Ka63] F. Kamijo, *Pub. Astron. Soc. Japan*, *14*, 271, 1963 (27.1).
- [Ka63a] F. Kamijo, *Pub. Astron. Soc. Japan*, *15*, 1, 1963 (27.1).
- [Ka63b] F. Kamijo, *Pub. Astron. Soc. Japan*, *15*, 440, 1963 (27.1).
- F. Kamijo, *see* Unno and Kamijo [Un66a].
- [Ka60] K. Kaminisi, *Pub. Astron. Soc. Japan*, *12*, 398, 1960 (26.3).
- [Ka61] W.J. Karzas and R. Latter, *Ap. J. Suppl.*, No. 55, 6, 167, 1961 (16.1).
- [Ka65] A.N. Kaufman, *Phys. Fluids*, *8*, 935, 1965 (2.4).
- [Ke63] P.C. Keenan, in Strand [St63a], Chap. 8, 1963 (0.3).
- [Ke51] P.C. Keenan and W.W. Morgan, in Hynek [Hy51], Chap. 1, 1951 (0.3).
- P.C. Keenan, *see* Morgan, Keenan, and Kellman [Mo43].
- E. Kellman, *see* Morgan, Keenan, and Kellman [Mo43].
- [Ki66] D.S. King, *Ph.D. Thesis*, Indiana University, 1966 (27.6b, 27.8).
- [Ki66a] D.S. King, J.P. Cox, and D.D. Eilers, *Ap. J.*, *144*, 1069, 1966 (21.7, 27, 27.1, 27.7, 27.7b, 27.8).
- D.S. King, *see* Cox, Cox, Olsen, King, and Eilers [Co66h].
- [Ki65] R. Kippenhahn, *I.A.U. Symposium on the Position of Variable Stars in the Hertzsprung-Russell Diagram*, *7*, 1965 (26.4, 27.7d, 27.7e, 27.8).
- [Ki65a] R. Kippenhahn, "Mitteilungen der Astronomischen Gesellschaft 1965," *53*, 1965 (26.4, 26.4g).
- [Ki65b] R. Kippenhahn, H.-C. Thomas, and A. Weigert, *Z. f. Ap.*, *61*, 241, 1965 (26.4, 26.4g, 27.1).
- R. Kippenhahn, *see* Baker and Kippenhahn [Ba62a]; Baker and Kippenhahn [Ba65d]; Hofmeister, Kippenhahn, and Weigert [Ho64]; Hofmeister, Kippenhahn, and Weigert [Ho64a]; Hofmeister, Kippenhahn, and Weigert [Ho64b].
- [Ko64] Z. Kopal, *Astrophys. Norwegica*, *9*, 239, 1964 (27.6d).
- [Ko65] Z. Kopal, *Z. f. Ap.*, *61*, 156, 1965 (27.6d).
- [Ko48] H. Koppe, *Ann. d. Phys.*, *6*, 103, 1948 (24.9).
- [Ko32] M.S. Kothari, *M. N.*, *93*, 61, 1932 (27.6a, 27.6d).
- [Kr60] R.P. Kraft, in Greenstein [Gr60], pp. 370ff, 1960 (27.7e).
- [Kr63] R.P. Kraft, in Strand [St63a], pp. 421ff, 1963 (27, 27.1, 27.7d, 27.8).
- [Kr66] R.P. Kraft, *Ap. J.*, *144*, 1008, 1966 (27.7e).
- [Kr23] H.A. Kramers, *Phil. Mag.*, *46*, 836, 1923 (16.1).
- [Kr61] K.S. Krishna-Swami, *Ap. J.*, *134*, 1017, 1961 (9.18).
- W. Kroll, *see* Ecker and Kroll [Ec65]; Ecker and Kroll [Ec65a].
- [Ku63] B.V. Kukarkin and P.P. Paranaogo, in Strand [St63a], Chap. 18, 1963 (27).
- [Ku63a] S.S. Kumar, *Ap. J.*, *137*, 1121, 1963 (18, 18.1, 25.3a, 25.4, 26.2c, 26.3).
- [Ku63b] S.S. Kumar, *Ap. J.*, *137*, 1126, 1963 (18, 18.1, 25.3a, 25.4, 26.2c, 26.3).
- [La58] L.D. Landau and E.M. Lifshitz, *Statistical Physics* (London: Pergamon Press), 1958 (3.1, 3.2, 3.4c, 15.5b, 10.3, 9, 9.9, 9.12, 9.13, 24.9, 26.5a).

- [Mc65] G.C. McVittie, *General Relativity and Cosmology* (Urbana: University of Illinois Press), 2nd ed., 1965 (26.5a, 26.5d).
- [Me65] S.M.A. Meggitt, *Austr. J. Phys.*, 18, 297, 1965 (13).
E.E. Mendoza V, *see* Johnson, Mendoza, and Wisniewski [Jo65].
- [Me63] D.H. Menzel, P.L. Bhatnagar, and H.K. Sen, *Stellar Interiors* (New York: John Wiley), 1963 (0, II, 9.17, 24, 25).
- [Me35] D.H. Menzel and C.L. Pekeris, *M.N.*, 96, 77, 1935 (2.8).
- [Me66] A.E. Merchant, *Ap. J.*, 143, 823, 1966 (26.1b).
- [Me64] R.P. Mercier, *Proc. Phys. Soc.*, 83, 819, 1964 (2.9, 2.10b).
- [Me50] L. Mestel, *Proc. Cambridge Phil. Soc.*, 46, 331, 1950 (16.7).
- [Me52] L. Mestel, *M.N.*, 112, 583, 1952 (25.3b, 25.3c).
- [Me65a] L. Mestel, in Aller and McLaughlin [Al65], Chap. 5, 1965 (15.5b, 24, 25).
- [Me65b] L. Mestel, in Aller and McLaughlin [Al65], Chap. 9, 1965 (26.1a).
- [Me65c] L. Mestel, *Quart. J.R.A.S.*, 6, 161, 1965 (26.2a).
- [Mi57] S.N. Milford, *Ap. J.*, 125, 213, 1957 (16.8g, 24.9).
- [Mi30] E.A. Milne, *Handbuch der Astrophysik*, 3, Chap. ii (Berlin: Springer), 1930 (2.1c).
- [Mi53] W.E. Milne, *Numerical Solution of Differential Equations* (New York: John Wiley and Sons, Inc.), 1953 (21.1a).
- [Mi64] R. Minkowski, *Ann. Rev. Astron. and Ap.*, 2, 247, 1964 (26.1a).
- [Mo66] J.J. Monaghan, *M.N.*, 132, 305, 1966 (25.3d, 26).
- [Mo65] J.J. Monaghan and I.W. Roxburgh, *M.N.*, 131, 13, 1965 (26).
E. Moore, *see* Weymann and Moore [We63a].
- [Mo43] W.W. Morgan, P.C. Keenan, and E. Kellman, *An Atlas of Stellar Spectra* (Chicago: University of Chicago Press), 1943 (0.3).
W.W. Morgan, *see* Keenan and Morgan [Ke51].
P. Morrison, *see* Bethe and Morrison [Be56].
- [Mo65a] N.F. Mott and H.S.W. Massey, *The Theory of Atomic Collisions* (Oxford: Clarendon Press), 3rd ed., Chap. 11, 1965 (17.10).
- [Mo64] D.C. Morton, *Ap. J.*, 140, 460, 1964 (26.5c).
- [Mü65] G. Münch and J.D. Scargle, *Ap. J.*, 142, 401, 1965 (23.5b, 26.1b).
- T. Nakano, *see* Hayashi and Nakano [Ha65b].
- [Ne65] G. Neugebauer, D.E. Martz, and R.B. Leighton, *Ap. J.*, 142, 399, 1965 (23.5b, 26.1b).
I.D. Novikov, *see* Zel'dovich and Novikov [Ze64]; Zel'dovich and Novikov [Ze65].
- C. Oberman, *see* Dawson and Oberman [Da62].
- [Op39] J.R. Oppenheimer and G.M. Volkoff, *Phys. Rev.*, 55, 374, 1939 (26.5a).
K.H. Olsen, *see* Cox, Cox, and Olsen [Co63a]; Cox, Cox, Olsen, King, and Eilers [Co66h].
Y. Ono, *see* S. Sakashita, Y. Ono, and C. Hayashi [Sa59].
- [Or65] S.A. Orzag, *Ap. J.*, 142, 473, 1965 (26.5c).
- [Os63] Y. Osaki, *Pub. Astron. Soc. Japan*, 15, 428, 1963 (23.6).
- [Os63a] R.K. Osborne, *Phys. Rev.*, 130, 2142, 1963 (3.5).
- [Os61] L. Oster, *Rev. Mod. Phys.*, 33, 525, 1961 (16.2).
- [Os63b] L. Oster, *Ap. J.*, 138, 437, 1963 (2.9, 2.10b).
- [Os66] L. Oster, *Ap. J.*, 144, 836, 1966 (2.9).

- [Os53] D.E. Osterbrock, *Ap. J.*, 118, 529, 1953 (20.6b).
 [Ox64] J. Oxenius, *JILA Report No. 8*, 1964 (2.8a3, 3.6, 4.1).
- [Pa64] P. Pachoda and H. Reeves, *Plan. and Sp. Sci.*, 12, 119, 1964 (26.3).
 P.P. Paranago, *see* Kukarkin and Paranago [Ku63].
 [Pa64a] P.D. Parker, J.N. Bahcall, and W.A. Fowler, *Ap. J.*, 139, 602, 1964 (17.16).
 [Pa64b] G. Paquette and H. Reeves, *Ap. J.*, 140, 1319, 1964 (17.10).
 [Pa61] J.L. Pawsey and R.N. Bracewell, *Radio Astronomy* (Oxford: Clarendon Press), 2nd ed., 1961 (2, 3.1).
 [Pa51] C. Payne-Gaposhkin, in Hynek [Hy51], Chap. 12, 1951 (27).
 [Pa54] C. Payne-Gaposhkin, *Variable Stars and Galactic Structure* (London: Athlone Press), 1954 (27, 27.1).
 [Pa63] C. Payne-Gaposhkin and S. Gaposhkin, in Strand [St63a], Chap. 22, 1963 (27).
 [Pe65] W.P. Pearce and J. Bahng, *Ap. J.*, 142, 164, 1965 (26.3).
 [Pe59] J.C. Pecker and E. Schatzman, *Astrophysique Générale* (Paris: Masson et Cie), 1959.
 C.L. Pekeris, *see* Menzel and Pekeris [Me35].
 [Pe63] V.L. Peterson and J.N. Bahcall, *Ap. J.*, 138, 437, 1963 (17.17a).
 [Ph33] H.B. Phillips, *Vector Analysis* (New York: John Wiley), 1933 (2.5b, 2.11, 9.7, 17.2).
 R.E. Pixley, *see* Dunbar, Pixley, Wenzel, and Whaling [Du53].
 [Po64] M.A. Podurets, *Russ. A. J.*, 41, 1090, 1964 (26.5d).
 [Pr64] G.W. Preston, *Ann. Rev. of Astron. and Ap.*, 2, 23, 1964 (27).
 [Pr62] M.A. Preston, *Physics of the Nucleus* (Reading: Addison-Wesley), 1962 (17.8, 17.9, 17.10).
 K.D. Pyatt, Jr., *see* Stewart and Pyatt [St66b].
- [Ra57] I. Rabinowitz, *Ap. J.*, 126, 386, 1957 (27.3c).
 [Re63] H. Reeves, *Ap. J.*, 138, 79, 1963 (17.20, 17.20c).
 [Re64] H. Reeves, *preprint*, 1964 (17.18b).
 [Re65] H. Reeves, in Aller and McLaughlin [Al65], Chap. 2 (17, 17.16, 17.17, 17.17a, 17.17b, 17.18a, 17.19, 17.20, 17.20a, 17.20b).
 [Re66] H. Reeves, in Stein and Cameron [St66a], pp. 83ff, 1966 (17).
 H. Reeves, *see* Pachoda and Reeves [Pa64]; Paquette and Reeves [Pa64b].
 [Re49] A. Reiz, *Ap. J.*, 109, 303, 1949 (25.1g).
 [Ri57] R.D. Richtmyer, *Difference Methods for Initial Value Problems* (New York: Interscience), 1957 (21.7).
 [Ro65] I. Robinson, A. Schild, and E.L. Schucking, eds., *Quasi-Stellar Sources and Gravitational Collapse* (Chicago: University of Chicago Press), 1965 (0.1, 26.5).
 [Ro66] R.C. Roeder and P.R. Demarque, *Ap. J.*, 144, 1016, 1966 (26.3).
 [Ro66a] W.K. Rose, *A. J.*, 71, 177, 1966 (18.2, 23.6c, 25.5, 26.4d).
 [Ro49] S. Rosseland, *The Pulsation Theory of Variable Stars* (Oxford: Clarendon Press), 1949 (also available as a Dover paperback, 1964) (27, 27.5, 27.6d).
 [Ro64] C.A. Rouse, *Ap. J.*, 139, 339, 1964 (15.5a).
 [Ro65a] I.W. Roxburgh, *M.N.*, 130, 223, 1965 (14.5).
 [Ro65b] I.W. Roxburgh, *private communication*, 1965 (25.3d).
 [Ro65c] I.W. Roxburgh, *Zs. f. Ap.*, 62, 134, 1965 (25.3d).

- [Ro66d] I. W. Roxburgh, *Ap. J.*, 143, 111, 1966 (26).
 [Ro66c] I. W. Roxburgh, *M. N.*, 132, 347, 1966 (26).
 [Ro65d] I. W. Roxburgh, J. S. Griffith, and P. A. Sweet, *Zs. f. Ap.*, 61, 203, 1965 (26).
 I. W. Roxburgh, *see* Monaghan and Roxburgh [Mo65].
 M. A. Ruderman, *see* Adams, Ruderman, and Woo [Ad63]; Inman and Ruderman [In64].
 [Ru27] H. N. Russell, in Russell, Dugan, and Stewart, *Astronomy* (Boston: Ginn and Co.), 2, 910, 1938 (18).
- [Sa63] G. S. Saakyan, *Russ. A. J.*, 40, 82, 1963 (26.5a).
 [Sa63a] G. S. Saakyan and Y. L. Vartanyan, *Nuovo Cim.*, 30, 82, 1963 (26.5a).
 [Sa64] G. S. Saakyan and Y. L. Vartanyan, *Russ. A. J.*, 41, 193, 1964 (26.5a).
 G. S. Saakyan, *see* Ambartsumyan and Saakyan [Am61].
 [Sa59] S. Sakashita, Y. Ono, and C. Hayashi, *Prog. Theor. Phys.*, 21, 315, 1959 (13.3, 26.4).
 [Sa52] E. E. Salpeter, *Phys. Rev.*, 88, 547, 1952 (17.13, 17.16).
 [Sa52a] E. E. Salpeter, *Ap. J.*, 115, 326, 1952 (17.18a).
 [Sa54] E. E. Salpeter, *Austr. J. Phys.*, 7, 373, 1954 (17.15).
 [Sa55] E. E. Salpeter, *Ap. J.*, 121, 161, 1955 (25.7).
 [Sa57] E. E. Salpeter, *Phys. Rev.*, 107¹, 516, 1957 (17.18a).
 [Sa61] E. E. Salpeter, *Ap. J.*, 134, 669, 1961 (15.5b, 17.15, 25.3a, 25.4).
 [Sa65] E. E. Salpeter, in Robinson, Schild and Schucking [Ro65], pp. 405ff, 1965 (26.5a, 26.5c).
 [Sa66] E. E. Salpeter, *private communication*, 1966 (17.20c).
 E. E. Salpeter, *see* Chiu and Salpeter [Ch64b]; Cox and Salpeter [Co64a]; Deinzer and Salpeter [De64]; Deinzer and Salpeter [De65]; Hamada and Salpeter [Ha61].
 [Sa59a] D. H. Sampson, *Ap. J.*, 134, 734, 1959 (16.6a, 2.8a3).
 [Sa62] D. H. Sampson, *Ap. J.*, 135, 261, 1962 (24.9).
 [Sa65a] D. H. Sampson, *Radiative Contributions to Energy and Momentum Transport in a Gas* (New York: Interscience), 1965 (2, 2.8, 2.8a3).
 [Sa57a] A. R. Sandage, *Ap. J.*, 125, 435, 1957 (26.1b).
 [Sa58] A. R. Sandage, *Ap. J.*, 127, 513, 1958 (27.1).
 [Sa62a] A. R. Sandage, *Ap. J.*, 135, 333, 1962 (26.1b).
 [Sa63b] A. R. Sandage and L. Gratton, in Gratton [Gr63], pp. 11ff, 1963 (26.1b).
 [Sa52b] A. R. Sandage and M. Schwarzschild, *Ap. J.*, 116, 463, 1952 (26.4c).
 [Sa65b] W. G. Saslaw and M. Schwarzschild, *Ap. J.*, 142, 1468, 1965 (14.5).
 [Sa66a] H. Sato, *Prog. Theor. Phys.*, 35, 241, 1966 (24.9).
 E. Sauvenier-Goffin, *see* Ledoux and Sauvenier-Goffin [Le50].
 J. D. Scargle, *see* Münch and Scargle [Mü65].
 [Sc56] E. Schatzman, *Contributions de l'Institut d'Astrophysique de Paris*, Ser. B, No. 143, 1956 (27.3).
 [Sc58] E. Schatzman, *White Dwarfs* (New York: Interscience), 1958 (16.7, 24, 24.6c, 25, 25.3a, 25.3c, 25.4, 26.5b).
 [Sc58a] E. Schatzman, *Handbuch der Physik* (ed. S. Flügge), 51, 723, 1958 (24, 25).
 [Sc63] E. Schatzman, in Gratton [Gr63], 1963, pp. 177ff. (23.5b, 26, 26.2a).
 [Sc65] E. Schatzman, in Aller and McLaughlin [Al65], Chap. 6, 1965 (17.20, 26.1a).
 [Sc66] E. Schatzman, in Stein and Cameron [St66a], p. 215, 1966 (26).
 E. Schatzman, *see* Pecker and Schatzman [Pe59].

- [Sc55] L. I. Schiff, *Quantum Mechanics* (New York: McGraw-Hill), 2nd ed., 1955 (3.3b, 17.11).
A. Schild, *see* Robinson, Schild, and Schucking [Ro65].
A. Schlüter, *see* Lüst and Schlüter [Lü55].
- [Sc42] M. Schönberg and S. Chandrasekhar, *Ap. J.*, 96, 161, 1942 (26.4c).
M. Schönberg, *see* Gamow and Schönberg [Ga41].
E. L. Schucking, *see* Robinson, Schild, and Schucking [Ro65].
- [Sc64] W. D. Schulz, *J. Math. Phys.*, 5, 133, 1964 (21.7).
- [Sc46] M. Schwarzschild, *Ap. J.*, 104, 203, 1946 (21.2).
- [Sc58b] M. Schwarzschild, *Structure and Evolution of the Stars* (Princeton: Princeton University Press), 1958 (0, II, 14.1, 16, 20.3, 20.6a, 21, 21.3, 21.4, 21.6, 24, 25, 25.1, 25.3c, 25.4, 26, 26.4c).
- [Sc58c] M. Schwarzschild and R. Härm, *Ap. J.*, 128, 348, 1958 (23.6a, 26.3).
- [Sc59] M. Schwarzschild and R. Härm, *Ap. J.*, 129, 637, 1959 (26.3, 27.6a).
- [Sc62] M. Schwarzschild and R. Härm, *Ap. J.*, 136, 158, 1962 (21.6, 26.4c).
- [Sc65a] M. Schwarzschild and R. Härm, *Ap. J.*, 142, 855, 1965 (18.2, 23.6c, 25.5, 25.6, 26.4d).
- [Sc62a] M. Schwarzschild and H. Selberg, *Ap. J.*, 136, 150, 1962 (26.4c).
M. Schwarzschild, *see* Härm and Schwarzschild [Hä55]; Härm and Schwarzschild [Hä64]; Hoyle and Schwarzschild [Ho55]; Ledoux, Schwarzschild, and Spiegel [Le61]; Saslaw and Schwarzschild [Sa65b].
- [Se59] R. L. Sears, *Ap. J.*, 129, 489, 1959 (21.4).
- [Se64] R. L. Sears, *Ap. J.*, 140, 477, 1964 (23.2, 26.3).
- [Se65] R. L. Sears and R. R. Brownlee, in Aller and McLaughlin [Al65], Chap. 11, 1965 (14.8, 21.7, 26, 26.1, 26.1b).
R. L. Sears, *see* Weymann and Sears [We65a].
H. Selberg, *see* Schwarzschild and Selberg [Sc62a].
H. K. Sen, *see* Menzel, Bhatnagar, and Sen [Me63].
G. H. Shortley, *see* Condon and Shortley [Co35].
R. Simon, *see* Ledoux, Simon, and Bierlaire [Le55a].
- [Si51] K. S. Singwi and M. S. Sundaesan, *Proc. Phys. Soc. of Lond.*, 64A, 441, 1951 (16.7).
- [So64] W. B. Somerville, *Ap. J.*, 139, 192, 1964 (20.4b).
- [Sp63] E. A. Spiegel, *Ap. J.*, 138, 216, 1963 (14, 14.8).
- [Sp64] E. A. Spiegel, *Ap. J.*, 139, 959, 1964 (14).
- [Sp65] E. A. Spiegel, *Ap. J.*, 141, 1068, 1965 (14).
- [Sp60] E. A. Spiegel, and G. Veronis, *Ap. J.*, 132, 716, 1960 (14).
E. Spiegel, *see* Ledoux, Schwarzschild and Spiegel [Le61].
- [Sp49] L. Spitzer, Jr., *Ap. J.*, 109, 337, 1949 (26.2b).
- [Sp62] L. Spitzer, *Physics of Fully Ionized Gases* (New York: Interscience) 2nd ed., 1962 (17.15, 27.6d).
- [Sp66] L. Spitzer, Jr., in *Nebulae and Interstellar Matter*, eds. D. McLaughlin *et al.* (Chicago: University of Chicago Press), 1966 (26.2a).
- [St66] R. F. Stein, in Stein and Cameron [St66a], pp. 3ff, 1966 (23.5b, 23.6c, 26, 26.4, 26.4c, 26.4d).
- [St66a] R. F. Stein and A. G. W. Cameron, eds., *Stellar Evolution* (New York: Plenum Press), 1966 (II, 21.6, 23.5b, 26, 26.1b, 26.4).
- [St66b] J. C. Stewart and K. D. Pyatt, Jr., *Ap. J.*, 144, 1203, 1966 (15.5a).
J. N. Stewart, *see* Cox, Stewart, and Eilers [Co65a].
D. W. N. Stibbs, *see* Woolley and Stibbs [Wo53].

- [St62] T.H. Stix, *The Theory of Plasma Waves* (New York: McGraw-Hill), 1962 (2.10, 2.10a, 2.10c).
- [St63] R. Stothers, *Ap. J.*, 138, 1074, 1963 (26.3).
- [St65] R. Stothers, *Ap. J.*, 141, 671, 1965 (27.1).
- [St66c] R. Stothers, *Ap. J.*, 144, 959, 1966 (13.3, 23.6a).
- [St66d] R. Stothers, *Ap. J.*, 143, 91, 1966 (13.3, 26.4).
- [St66e] R. Stothers, *M.N.*, 131, 253, 1966 (26).
R. Stothers, *see* Chin, Chiu, and Stothers [Ch65c].
- [St63a] K.Aa. Strand, ed., *Basic Astronomical Data* (Chicago: University of Chicago Press), 1963 (0).
K.Aa. Strand, *see* Harris, Strand, and Worley [Ha63a].
- [St41] J. A. Stratton, *Electromagnetic Theory* (New York: McGraw-Hill), 1941 (2.10).
- [St65a] B. Strömgren, in Aller and McLaughlin [Al65], Chap. 4, 1965 (26.3).
- [St59] O. Struve, *Elementary Astronomy* (New York: Oxford), 1959 (1.2).
- [Su66] K. Suda and N. Virgopia, *Ap. J.*, 143, 75, 1966 (26.4h, 23.6).
K. Suda, *see* Virgopia and Suda [Vi66a].
- [Su56] H.E. Suess and H.C. Urey, *Rev. Mod. Phys.*, 28, 53, 1956 (26).
- [Su58] H.E. Suess and H.C. Urey, *Handbuch der Physik* (ed. S. Flügge), 51, 296, 1958 (26).
D. Sugimoto, *see* Hayashi, Hōshi, and Sugimoto [Ha62a]; Hayashi, Hōshi, and Sugimoto [Ha65a].
M. S. Sundaesan, *see* Singwi and Sundaesan [Si51].
- [Sw50] P.A. Sweet, *M.N.*, 110, 548, 1950 (26.1a).
P.A. Sweet, *see* Roxburgh, Griffith, and Sweet [Ro65d].
- [Sy66] J.L. Synge, *M.N.*, 131, 463, 1966 (26.5d).
R.J. Talbot, *see* Iben and Talbot [Ib66c].
- [Ta66] Y. Tanaka, *Pub. Astron. Soc. Japan*, 18, 47, 1966 (26).
R.J. Tayler, *see* Clifford and Tayler [Cl65].
S. Temesváry, *see* Burbidge, Kahn, Ebert, Von Hoerner, and Temesváry [Bu60].
- [Te56] G. Temple and W.G. Bickley, *Rayleigh's Principle and Its Applications to Engineering* (New York: Dover), 1956 (27.3b).
H.-C. Thomas, *see* Kippenhahn, Thomas, and Weigert [Ki65b].
- [Th61] R.N. Thomas, ed., *Aerodynamic Phenomena in Stellar Atmospheres (Supplemento del Nuovo Cimento, Vol. 22, No. 1, 1961)* (27).
- [Th65] R.N. Thomas, *Some Aspects of Non-Equilibrium Thermodynamics* (Boulder: University of Colorado Press), 1965 (7, 7.1, 7.2, 7.3).
- [Th67] R.N. Thomas, ed., *Proceedings of the Fifth Symposium on Cosmical Gas Dynamics* (I.A.U. Symposium No. 28) (New York: Academic Press), 1967 (21.7, 27).
- [Th61a] R.N. Thomas and R.G. Athay, *Physics of the Solar Chromosphere* (New York: Interscience), 1961 (2.8, 7).
- [Th66a] K.S. Thorne, *Ap. J.*, 144, 201, 1966 (13).
- [To34] R.C. Tolman, *Relativity, Thermodynamics, and Cosmology* (Oxford: Clarendon Press), 1934 (3.1, 26.5a, 26.5c, 26.5d).
- [To38] R.C. Tolman, *The Principles of Statistical Mechanics* (London: Oxford University Press), 1938 (3.2, 10.6).
- [To65] R. F. Tooper, *Ap. J.*, 142, 1541, 1965 (23.1).

- [To66] R.F. Tooper, *Ap. J.*, 143, 465, 1966 (23.2).
- [Tr67] J.W. Truran and C.J. Hansen, *private communication*, 1967 (17.18a).
- [Ts64] S. Tsuruta, "Neutron Star Models," Ph. D. Dissertation, Columbia University, 1964 (26.5a, 26.5c).
- [Un49] A.B. Underhill, *M.N.*, 109, 562, 1949 (9.18).
- [Un60] A.B. Underhill, in Greenstein [Gr60], Chap. 10, 1960 (20.5).
- [Un65] W. Unno, *Pub. Astron. Soc. Japan*, 17, 205, 1965 (27.3, 27.5a, 27.7c).
- [Un66] W. Unno, *preprint*, 1966 (27.6c).
- [Un66a] W. Unno and F. Kamijo, *Pub. Astron. Soc. Japan*, 18, 23, 1966 (27.6c).
H.C. Urey, *see* Suess and Urey [Su56]; Suess and Urey [Su58].
- [Va32] J.H. Van Vleck, *The Theory of Electric and Magnetic Susceptibilities* (Oxford: Oxford University Press), 1932 (2, 2.10, 2.10d).
- [Va60a] M.S. Vardya, *Ap. J. Suppl.*, 6, No. 42, 281, 1960 (9.18, 20.4b, 20.8).
- [Va60b] M.S. Vardya, *P. A.S.P.*, 72, 364, 1960 (20.6b).
- [Va61] M.S. Vardya, *Ap. J.*, 133, 107, 1961 (20.4b).
- [Va64] M.S. Vardya, *Ap. J. Suppl.*, 8, No. 80, 277, 1964 (16, 16.8c, 20.4b).
- [Va64a] M.S. Vardya, *Proc. First Harvard-Smithsonian Conf. on Stellar Atmospheres* (*Smithsonian Astrophys. Obs. Special Report No. 167*), p.124, 1964 (20.6b).
- [Va65] M.S. Vardya, *M.N.*, 129, 205, 1965 (15.4, 9.18, 20.8).
- [Va66] M.S. Vardya, *M.N.*, 132, 475, 1966 (20.4b).
- [Va65a] M.S. Vardya and K.H. Böhm, *M.N.*, 131, 89, 1965 (16.8c).
M.S. Vardya, *see* Henyey, Vardya and Bodenheimer [He65].
Y.L. Vartanyan, *see* Saakyan and Vartanyan [Sa63a]; G.S. Saakyan and Y.L. Vartanyan [Sa64].
G. Veronis, *see* Spiegel and Veronis [Sp60].
- [Vi65] S.C. Vila, *A. J.*, 70, 695, 1965 (17.20c).
- [Vi66] S. Vila, *Ap. J.*, 146, 437, 1966 (17.20c, 25.3, 25.3a, 26.1a).
- [Vi66a] N. Virgopia and K. Suda, *Ap. J.*, 143, 87, 1966 (23.6, 26.4h).
N. Virgopia, *see* Suda and Virgopia [Su66].
- [Vi53] E. Vitense, *Zs. f. Ap.*, 32, 135, 1953 (14, 20.6a).
- [Vo26] H. Vogt, *A.N.*, 226, 301, 1926 (18).
G.M. Volkoff, *see* Oppenheimer and Volkoff [Op39].
S. Von Hoerner, *see* Burbidge, Kahn, Ebert, Von Hoerner, and Temesváry [Bu60].
- [vo37] C.F. von Weizsäcker, *Phys. Zs.*, 38, 176, 1937 (17.16).
M. Wacano, *see* Harrison, Wacano, and Wheeler [Ha58a].
- [Wa56] M.F. Walker, *Ap. J. Suppl.*, 2, 365, 1965 (26.1b).
- [Wa57] M.F. Walker, *Ap. J.*, 125, 636, 1957 (26.1b).
- [Wa66] G. Wallerstein, *Ap. J.*, 143, 823, 1966 (26.1b).
- [Wa65] G. Wallerstein, G.H. Herbig, and P.S. Conti, *Ap. J.*, 141, 610, 1965 (26.1b).
Th. Walraven, *see* Ledoux and Walraven [Le58].
- [Wa44] G. Wares, *Ap. J.*, 100, 158, 1944 (24.8b).
- [Wa44a] G.N. Watson, *A Treatise on the Theory of Bessel Functions* (2nd ed., Cambridge: Cambridge University Press), 1944 (24.4, 24.7b, 24.8a).
G.N. Watson, *see* Whittaker and Watson [Wh27].

- [We65] A. Weigert, "Mitteilungen der Astronomischen Gesellschaft 1965," 61, 1965 (18.2, 23.6c, 25.5, 26.4d, 26.4g).
 A. Weigert, *see* Hofmeister, Kippenhahn, and Weigert [Ho64]; Hofmeister, Kippenhahn, and Weigert [Ho64a]; Hofmeister, Kippenhahn, and Weigert [Ho64b]; Hofmeister and Weigert [Ho64c]; Kippenhahn, Thomas, and Weigert [Ki65b].
 V. F. Weisskopf, *see* Blatt and Weisskopf [Bl52].
 W.A. Wenzel, *see* Dunbar, Pixley, Wenzel, and Whaling [Du53].
- [We63] R. Weymann, *Ann. Rev. Astron. and Ap.*, 1, 97, 1963 (26).
- [We63a] R. Weymann and E. Moore, *Ap. J.*, 137, 552, 1963 (23.5, 23.5b, 26.2c).
- [We65a] R. Weymann and R.L. Sears, *Ap. J.*, 174, 1965 (26.3).
 W. Whaling, *see* Dunbar, Pixley, Wenzel and Whaling [Du53].
- [Wh64] J.A. Wheeler, in Chiu and Hoffmann [Ch64a], pp.195ff, 1964 (26.5a).
 J.A. Wheeler, *see* Harrison, Wacano, and Wheeler [Ha58a].
 R.A. White, *see* Colgate, Grasberger, and White [Co62]; Colgate and White [Co66]; Colgate and White [Co66a].
 C.A. Whitney, *see* Cox and Whitney [Co58]; Ledoux and Whitney [Le61a].
- [Wh27] E.T. Whittaker and G.N. Watson, *A Course of Modern Analysis* (Cambridge: At the University Press), 4th ed., 1927 (24.7c).
- [Wi66] R. Wildt, *Ap. J.*, 143, 363, 1966 (5.2).
 L. Wilets, *see* Henyey, Wilets, Böhm, LeLevier, and Levée [He59].
- [Wi66a] O.C. Wilson, *Ap. J.*, 144, 695, 1966 (26.2a).
 W.Z. Wisniewski, *see* Johnson, Mendoza, and Wisniewski [Jo65].
 E. Wolf, *see* Born and Wolf [Bo59].
- [Wo65] R.A. Wolf, *Phys. Rev.*, 137, B, 1634, 1965 (17.15, 25.4).
 R.A. Wolf, *see* Bahcall and Wolf [Ba64a]; Bahcall and Wolf [Ba65a]; Bahcall and Wolf [Ba65b].
- [Wo66] N.J. Woolf, *A. J.*, 71, 187, 1966 (26).
 C.H. Woo, *see* Adams, Ruderman, and Woo [Ad63].
- [Wo53] R.v.d.R. Woolley and D.W.N. Stibbs, *The Outer Layers of a Star* (Oxford: Clarendon Press), 1953 (2.1c).
 C.E. Worley, *see* Harris, Strand, and Worley [Ha63a].
- Wr58] M.H. Wrubel, *Handbuch der Physik* (ed. S. Flügge), 51, 1, 1958 (21, 21.7, 24.2a, 24.8b).
- Wr63] M.H. Wrubel, in Gratton [Gr63], pp. 50ff, 1963 (21.7).
- Wy63] A.A. Wyller, *Astrophysica Norwegica*, 8, 53, 1963 (16.7).
- Wy63a] A.A. Wyller, *Astrophysica Norwegica*, 8, 79, 1963 (16.7).
- Wy64] A.A. Wyller, *preprint*, 1964 (16.7).
- [Ya62] Y. Yamashita, *Pub. Astron. Soc. Japan*, 14, 390, 1962 (16.8c).
- [Za65] M. Zaidi, *Nuovo Cimento*, 40A, 502, 1966 (17.20c).
- [Ze59] Y.B. Zel'dovich, *J. Exper. Theoret. Phys. (USSR)*, 37, 569, 1959 (26.5a).
- [Ze61] Y.B. Zel'dovich, *J. Exper. Theoret. Phys. (USSR)*, 41, 1609, 1961 (26.5a).
- [Ze66] Y.B. Zel'dovich and O.H. Guseynov, *Ap. J.*, 144, 840, 1966 (26.5d).
- [Ze64] Ya. B. Zel'dovich and I. D. Novikov, *Usp. Fiz. Nauk*, 84, 377, 1964 (1.1, 1.2, 18.2, 22.1, 25.1f, 25.3a, 26.1a, 26.5, 26.5a, 26.5b, 26.5c, 26.5d).
- [Ze65] Y.B. Zel'dovich and I.D. Novikov, *Usp. Fiz. Nauk*, 86, 447, 1965 (26.5, 26.5b, 26.5c).

- [Zh53] S. A. Zhevakin, *Russ. A. J.*, 30, 161, 1953 (27.1, 27.7).
[Zh54] S. A. Zhevakin, *Russ. A. J.*, 31, 141, 1954 (27.1, 27.7).
[Zh54a] S. A. Zhevakin, *Russ. A. J.*, 31, 335, 1954 (27.1, 27.7).
{Zh63} S. A. Zhevakin, *Ann. Rev. of Astron. and Ap.*, 1, 367, 1963 (27, 27.1, 27.5, 27.7).
[Zw65] F. Zwicky, in Aller and McLaughlin [A165], Chap. 7, 1965 (26.1a, 26.5).

Subject Index

All references in this index are to chapter, section, subsection, or sub-subsection number, rather than to page number. Reference merely to a chapter number (*e.g.*, 25) means either the entire chapter or the introduction to the chapter, and similarly for sections which are divided into several subsections. The Subject Index pertains only to the main text, and not to the Supplement.

- absorption,
 - bound-bound, 16.8a
 - low-energy neutrons, 17.11
 - molecular, 16.8c
 - negative ion, 16.6b
 - Rosseland mean, 8.2
 - scattering, 2.8b1
 - “true,” 2.8b1, 2.10b, 4.1
- absorption coefficient,
 - atomic, Kramer’s formula, 16.1
 - bound-free, degeneracy effect, 16.1
 - free-free, degeneracy effect, 16.2
 - free-free, Kramers formula, 16.2
 - mass, 2.7, 2.8, 2.10, 4.1, 8.2, 16.4, 26.2
 - monochromatic mass, 16.4
 - Rosseland mean, Thomson scattering, 16.5
 - volume, 2.7
- abundance,
 - carbon to oxygen ratio, 17.18b
 - neon, 20, 17.18b
 - relative mass, 15.1, 18.1, 18.3
- abundance, relative, 9.18,
 - “effective,” 9.18
- adiabatic changes, quasi-static
 - infinitesimal, 9.14
- adiabatic exponents (gammas), 9.14a, 24.6
- adiabatic motion, 13
- adiabatic process (infinitesimal), 9.6
- adiabatic radial oscillations, linear, 27.3
- adiabatic wall, 9.1
- adiabatic wave equation,
 - linearized, 27.3
 - mathematical properties, 27.3b
 - numerical solutions, 27.3c
- adiabats, integrated,
 - H, He ionization zones, 20.7, 20.8
 - “Aller Mix” chemical composition, 15.6, 27.8
- alpha-particle capture reactions, 17.18b
- angular momentum problem, 26.2a
- “astrophysical cross section factor,” 17.11,
 - carbon cycle, 17.17a
 - proton chain, 17.17b
- atmosphere, stellar, 16.8b, 16.8c, 16.8d,
 - 20.1, 20.4a, 20.5,
 - grey, 20.1
 - white dwarfs, 25.4
- atom, two level,
 - steady state (statistically), 7.2, 7.3
 - transfer equation, 7.3
- atomic energy levels,
 - broadening, 15.5, 15.5a
 - shifting, 15.5, 15.5a
- attenuation and “true” absorption, 2.10b
- atomic nuclei, basic properties, 17.8
- auto-ionizing states, 16.8f
- barrier height, 17.11
- barrier penetration factor, 17.9a
- beryllium 8, 17.18a
- Beta Canis Majoris stars, 27.1
- beta decay, inverse, 25.3a, 26.5
- binding energy,
 - average, per nucleon, 17.8
 - dense stars, 26.5a

- binding energy (continued),
 - nucleus, 17.8
- binding fraction, 17.8
- blackbody radiation, 9.11,
 - energy density, 3.7b
 - entropy, 10.4
 - gammas, 9.16, 9.17
 - gammas for a mixture with $e\pm$ pairs, 24.9c
 - properties, 3.7
 - specific heats, 9.16, 9.17
- Bohr picture, nuclear reaction, 17.9
- bolometric correction, 0.3
- bolometric magnitude, 0.3, 0.4
- Boltzmann equation, 3.4a, 4.1
- bosons, non-interacting, 10.4
- boundary conditions,
 - central, 21.1, 21.2, 21.3, 21.4, 21.5, 23.1a, 23.2
 - degenerate (completely) configurations, 25.1b
 - photosphere, 20.1, 20.2, 20.3
 - point source model, 23.4
 - polytropes, 23.1
 - pulsating stars, 27.3, 27.5a
 - standard model, 23.2
 - surface, 20.1, 20.2, 20.3, 21.1, 21.2, 21.3, 21.4, 21.5, 23.1, 23.3
 - uniform energy source model, 23.3
- bound-bound absorption, 16.8a
- bound-bound transitions, 2.8
- bound-free opacity, 16.6c
- bound-free transitions, 2.8
- “branching ratio,” $G(b)$, 17.10
- Breit-Wigner one-level dispersion formula, 17.10
- bremsstrahlung, 16.2
- “CN” or “CNO” cycle, 17.16,
 - relative mass abundancies, primary, 26.2c
- carbon 12, 17.18a
- carbon burning, 17.19
- carbon cycle, 17.16, 17.17a,
 - energy production rates, 17.17a
- central helium burning phase, 26.4c
- central hydrogen exhaustion phase, 26.4b
- Cepheid phase, 27.7e
- Cepheids, 27.1, 27.7c
- Chandrasekhar-Schönberg limit, 26.4c
- chemical composition,
 - determination, 18.3
 - non-uniform, radiative gradient, stability, 13.3
 - Population I, 26
 - Population II, 26
 - uniform, radiative gradient stability, 13.1
 - variable, 18.4
 - white-dwarfs, 25.4
 - zero-age main sequence, 26.3
- chemical composition discontinuity, 23.6,
 - conditions on structure equations, 21.1d
- chemical equilibrium, 3.1, 3.4c, 9.12
- chemical potential, 9.12, 10.4, 10.5,
 - non-degenerate system, 10.5
 - photons, 9.12
- chemically inhomogeneous models, 23.6, 26.4
- classical Cepheids, 27.1, 27.7a, 27.7d, 27.7e
- coherent Compton effect, 16.3
- collapse,
 - dynamical, 17.5
 - dynamical, of protostars, 26.2b
 - relativistic, 26.5b, 26.5d
- collapsed stars, 26.5b, 26.5d
- “color-magnitude” diagram, 0.3, 26.1b
- composition, chemical,
 - determination, 18.3
 - discontinuity, 21.1d
 - Population I, 26
 - Population II, 26
 - variable, 18.4
 - White Dwarfs, 25.4
 - zero-age main sequence, 26.3
- composition, uniform,
 - Vogt-Russell theorem proof for models, 18.1
- compound nucleus, 17.9b
- Compton effect, coherent, 16.3
- Compton scattering, 2.8a3, 2.8b2,
 - Roseland mean opacities, 16.6a
- Compton wavelength, 17.8
- conduction, electron thermal, 16.7
- conductive opacity, 16.7
- conductivities, 14.4,
 - convective to radiative ratio, A , 20.5
- constants,
 - astronomical, A.1

- constants (continued),
 - physical, A.1
- constitutive equations, 18.1, 21.1, 21.2,
 - permanently homologous stars, 22.6, 22.7
- continuum, depression of,
 - from electrostatic corrections, 15.5a
- contracting (gravitationally) stars, 22.8,
 - convective, 23.5b
- contraction,
 - gravitational, 17.4, 17.5, 17.6
 - homologous, 17.6
 - Kelvin, 26.2c
- convecting elements,
 - average speed in mixing length theory, 14.3
- convection,
 - effective, in envelopes, 20.5
 - efficiency, mixing length theory, 14.5
 - energy source effect, 14.5
 - entropy, 13.4
 - instability against, 13.1, 13.3
 - ionization effect, 13.4
 - luminosity, 13.2
 - luminosity to mass ratio effect, 13.4
 - mixing length theory, 14
 - opacity effect, 13.4
 - overshoot, 14.5
 - pulsating stars, 27.2, 27.6c, 27.7b
 - radiation pressure effect, 13.1
 - stability against, 13.1, 13.3, 13.4
 - time-dependent, 27.2, 27.6c
- convection zone,
 - transition region, 20.6a
 - turbulent energy, 25.3d
- convective core, 19.2a, 23.4b, 26.3,
 - mean molecular weight variable, 23.6a
- convective efficiency, Γ , 14.5,
 - actual gradient specified, 14.8
 - convective envelope with no nuclear sources, 14.7
 - cubic equation solutions, 14.7
 - sun, 14.6
 - supersonic, 14.9
 - upper limit, 14.6
- convective efficiency parameter, f , 20.5
- convective envelope,
 - convective efficiency with no nuclear sources, 14.7
 - ionization effect, 20.6b
 - luminosity effect, 23.3
 - pulsating stars, 27.6c, 27.7b
 - structure, 20.6b, 21.2
- convective equilibrium, envelope, 20.6
- convective flux, 14, 20.5, 27.6c,
 - actual gradient specified, 14.8
 - mixing length theory, 14.2
 - supersonic, 14.9
- convective stars, 23.5,
 - condition for, 23.5c
 - gravitationally contracting, 23.5b
 - luminosity, 23.5a
- convective (completely) stars,
 - pulsational instability, 27.6a
- convective transfer, 14.2, 14.4, 14.6, 23.5,
 - envelopes, 20.6
 - Hertzsprung-Russell diagram, 20.5
 - post-main sequence phase, 26.4
 - pre-main sequence phase, 26.2
 - pulsational stability, 27.6c
 - white dwarfs, 25.3c
- convective velocity, average,
 - actual gradient specified, 14.8
 - convective envelope with no nuclear sources, 14.7
- convective velocity, supersonic,
 - solution of mixing length theory equations with, 14.9
- “cooling curve,”
 - white dwarfs, 25.3a
- “cooling time,” t_c , 26.2b
- cooling times, protostars, 26.2b
- cooling times, white dwarfs, 25.6,
 - “accurate” calculation, 25.6b
 - order-of-magnitude calculation, 25.5a
- core,
 - convective, 23.4b, 26.3
 - exhausted, 23.6c, 26.4
 - isothermal, 23.6c, 26.4
- core helium burning phase, 26.4d
- core solution,
 - fitting to envelope solution, 23.4c
- corona, 27.7c
- corrections, electrostatic,
 - for ionization in interiors, 15.5
- correlation, empirical
 - (L , T_e) 0.3
 - (L , M) 0.4

- Courant condition, 21.7
- Cowling model, 19.2a, 23.4,
 application of Vogt-Russell theorem,
 19.3
 numerical results, 23.4d
- Cox, A.N. opacity results, 16.9
- cross section, 2.8a2, 2.8a3,
 “astrophysical factor,” 17.11, 17.17a,
 17.17b
 bound-free transitions, 16.1
 Breit-Wigner one-level dispersion
 formula, 17.10
 Compton scattering, 2.8a3
 Compton scattering (extremely
 relativistic), 16.8g
 free-free transitions, 16.2
 low energy exothermic nuclear
 reactions, 17.11
 nuclear reactions, 17.10, 17.11
 pair production (extremely
 relativistic), 16.8g
 Rayleigh scattering, 16.8d
 resonances, 17.9a
 screening effect, 17.15
 Thomson scattering, 16.3
 transfer equation, 2.9b
- cross section factor (astrophysical), 17.11,
 carbon cycle, 17.17a
 proton chain, 17.17b
- cycling time,
 carbon cycle, 17.17a
- de Broglie wavelength, electron, mean,
 24.1
- Debye-Hückel theory, 15.5b
- Debye length, r_0 , 15.5a, 15.5b, 17.15
- degeneracy and conditions for neglect
 of e^\pm pairs, 24.9a
- degeneracy criteria, 24.8a
- degeneracy of electron gas, 24.1
- degeneracy of nuclei, 24.2a2
- degeneracy parameter, w , 24.2a3, 24.2b,
 24.8a, 24.8b
- degeneracy parameter, η , 3.2, 3.4c,
 e^\pm pair effect, 24.9
 electron gas degree of degeneracy, 24.1
 finite, 24.5
 free electron gas, 15.3
 infinite, 24.6
 non-relativistic, great degeneracy,
 24.2a1
 partial degeneracy range, 24.8b
 radial distance dependence, white
 dwarfs, 25.3c
 temperature, electron density
 dependence, 24.1
- degeneracy parameter, η , evaluation of,
 24.2
 arbitrary degeneracy, 24.5, 24.7c
 complete degeneracy, 24.6
 extreme-relativistic regime, 24.2b,
 25.2b, 26.5a
 Fermi-Dirac integrals, 24.7
 great degeneracy, 24.2a1
 non-relativistic regime, 24.2a, 24.5a,
 24.6a
 partial degeneracy, 24.2a3
 slight degeneracy, 24.2a2
- degeneracy regions,
 ρ - T plane, 24.8, 24.9
- degenerate configurations (completely),
 basic differential equation, 25.1a
 boundary conditions, 25.1b
 density, central, 25.1g
 hydrostatic equilibrium, 25.1
 interior mass, 25.1d
 limiting mass, 25.1f
 mass, 25.1g
 mass-radius relation, 25.2c
 non-homologousness, 25.2b
 numerical results, 25.1g
 radius, 25.1c, 25.1e, 25.1g
- degenerate configuration (partially),
 energy, total, change, 25.3b
 internal temperature mass,
 radius dependence, 25.3a
 secular stability, 25.3b
- degree of degeneracy, 3.2, 24.1
- density,
 composition discontinuity, 21.1d
 “critical,” 24.8a
 critical for ions, 15.5a
 electron, 6.1, 15.2, 24.2, 24.4, 24.5, 24.6
 explicit expression for non-interacting
 bosons and fermions in statistical
 equilibrium, 10.4
 homologous stars, 22.1
 mean, 1.2, 25.1e

- density (continued),
 protostars, 26.2b
 relation between mean and central,
 23.1b, 23.2, 25.1e, 27.3c
 standard model, 23.2
 variation, pulsating stars, 27.4
- density, central, 1.2, 25.1e,
 $e \pm$ pair effect, 24.9
 shell source effect, 23.6c
 time dependence, 25.5
 zero-age main sequence, 26.3
- density exponent, χ_ρ , of the pressure
 equation of state, 9.13, 9.15, 9.16,
 9.17, 9.18, 12, 13.3, 24.6a, 24.6b,
 24.6c, 24.9c
- density inversion, 20.4
- density-temperature plane,
 degeneracy regions, 24.8b, 24.9a
- detailed balancing, 3.1, 7.1
 temperature gradient effect, 5.2
- deuterium, 17.16
- diathermal wall, 9.1
- dimensionless variables,
 Schwarzschild, 21.2
- “directional” gradient, 2.9, 2.11
- dispersion,
 elementary theory of, 2.10
- dispersion relation, 2.10a
 electromagnetic wave in a plasma, 17.20c
- dispersive media,
 electromagnetic field energy in, 2.10c
- “dissociation” energy, 9.12
- distribution laws,
 basic, for a system in statistical
 equilibrium, 3.2
 for matter, 3.4
 Maxwell-Boltzmann, 3.4b
- distribution, temperature in envelope, 20.7
- dynamical collapse, 17.5, 27.3b,
 protostars, 26.2b
 final star stages, 26.5b, 26.5d
- dynamical instability,
 magnetic effect, 17.5
- dynamical instability condition, 26.5a,
 26.5b, 27.3b
- Eddington approximation, 20.1
- eddy velocity, average, 14.3, 14.6,
 pulsating stars, 27.2
- effective temperature, T_e ,
 0.1, 0.3, 20.1, 20.5, 20.6b, 23.5, 26.3,
 26.4, 27.1, 27.3, 27.6c, 27.7b, 27.7c,
 27.7e
- efficiency of convection in mixing length
 theory, 14.5
- Einstein coefficients,
 absorption, 2.8b1
 induced emission, 2.8a2
 spontaneous emission 2.8a1
 relations among the, 3.6
- electromagnetic field theory in dispersive
 media, 2.10c
- electromagnetic waves,
 plane, 2.10a
 plasma, 2.10d, 17.20c
- electron degeneracy,
 stability effects, 25.5
- electron density, 24.1, 24.4,
 degeneracy parameter, temperature
 dependence, 24.1
 $e \pm$ pair effect, 24.9
 expansion formulae, 24.7
 extremely relativistic, finite
 degeneracy, 24.5b
 extremely relativistic regime, 24.2b
 great degeneracy, 24.2a1
 in interiors, 15.2
 non-relativistic, completely
 degenerate, 24.6a
 non-relativistic, finite degeneracy,
 24.5a
 non-relativistic regime, 24.2a
 partial degeneracy, 24.2a2
 partial relativistic, completely
 degenerate, 24.6c
 scale height, 6.1
 slight degeneracy, 24.2a2
- electron, free,
 mean molecular weight, 24.3
- electron gas degeneracy, 24.1
- electron kinetic temperature, 7.1
- electron kinetic energy,
 average, 24.6a, 24.6b
 change with total energy change, 25.3b
 internal translational (u_e),
 24.4, 24.5a, 24.5b, 24.6c, 24.7a,
 24.8b

- electron kinetic energy (continued),
 - total, partially degenerate configuration, 25.3a
- electron-positron pairs, 24.9,
 - degeneracy and conditions for neglect, 24.9a
- electron pressure,
 - expansion formulae, 24.7
 - extremely relativistic, completely degenerate, 24.6b
 - extremely relativistic, finite degeneracy, 24.5b
 - general expressions, 24.4
 - non-relativistic, completely degenerate, 24.6a
 - non-relativistic, finite degeneracy, 24.5a
 - partial relativistic, completely degenerate, 24.6c
 - various degrees, relativistic and degenerate, 24.8b
- electron scattering opacity,
 - Thomson, approximate, 16.6a
- electron screening, 17.15
- electron thermal conduction, 16.7
- electrostatic corrections,
 - continuum depression, 15.5a
 - ionization in interiors, 15.5
 - pressure equation of state, 15.5b
- electrostatic energy,
 - average per free electron, 15.5a
- electrostatic interaction energy,
 - plasma, Debye Hückel theory, 15.5b
- electrostatic interactions, 15.5
- Emden functions, 23.1, A.5
- Emden unit of length, r_n , 23.1a
- emission,
 - induced, 2.8a2, 4.1
 - isotropic source function, 6.2
 - mass, coefficient, 2.7
 - radiation, microscopic picture, 2.8
 - scattering, 2.8a3
 - spontaneous, 2.8a1
- emission coefficient, 2.6
- energy,
 - "dissociation," 9.12
 - electrostatic interaction, 15.5b
 - electrostatic per free electron, 15.5a
 - equipartition principle, 10.6
 - gravitational potential, 17.2, 17.3, 25.3a
 - magnetic, 17.2, 17.3, 25.3d
 - pulsation, 25.3d, 27.3c, 27.6d
 - resonance, 17.9a
 - rotation, 25.3d
 - total of a star, 17.4
 - turbulent, 25.3d
- energy balance, 5.1
- energy density,
 - magnetic, 17.2, 17.3
 - particle kinetic, 10.1, 10.2, 24.4, 24.9b
- energy density (radiation field), 6.3, 6.4,
 - black body radiation, 3.7b
 - integrated, 2.3, 3.7c
 - monochromatic, 2.3
- energy equation, pulsating stars, 27.2, 27.4, 27.5a, 27.7a,
 - adiabatic, 27.3
 - viscosity effects, 27.6d
- energy gain rate, stellar, 25.5
- energy generation,
 - carbon cycle, 17.16
 - nuclear, 17.7
 - nuclear effect on pulsational stability, 27.6a
 - proton chain, 17.16
 - shell source, 23.6c
 - thermonuclear reactions, 17.12
- energy generating rates, 5.1
 - carbon burning, 17.19
 - carbon cycle, 17.17a
 - helium burning, 17.18
 - homology transformation, 22.5
 - hydrogen burning, 17.17
 - neon burning, 17.19
 - oxygen burning, 17.19
 - proton chain, 17.17b
 - pulsating stars, 27.2
- energy, internal, 24.4, 24.9b, 10.4
 - definition, 9.3
 - of a star, 17.3
- energy levels,
 - continuous, statistical weight, 3.3b
 - discrete, statistical weight, 3.3a
- energy loss rates,
 - longitudinal plasmons, 17.20c
 - pair neutrino process, 17.20b
 - photo-neutrino process, 17.20a

- energy loss rates (continued),
 - plasma neutrino process, 17.20c
 - transverse plasmons, 17.20c
- energy losses,
 - neutrino, 17.20
 - Urca process, 17.20
- energy, low, exothermic nuclear reactions
 - cross section, 17.11
- energy of excitation in interiors, 15.4
- energy of ionization in interiors, 15.4
- energy release local, from gravitational contraction, 17.6
- energy source models,
 - point, 19.2a, 23.4
 - uniform, 23.3
- energy sources, 17,
 - chemical, 17
 - gravitational contraction, 17.4, 17.5, 17.6
 - non-resonant contribution, 17.13
 - nuclear, 17.7
 - resonant contribution, 17.14
 - white dwarfs, 25.4
- energy, total,
 - of a star, 17.3
 - partially degenerate system, 25.3b
 - thermal motions, 17.2
- entropy, 9.9, 9.10, 10.3, 10.4, 13.4, 24.4, 24.9b
 - black body radiation, 10.4
 - convective envelope, 20.6b
 - convective stability, 13.4
 - electron-positron gas, 24.9b
 - extremely relativistic, finite degeneracy, 24.5b
 - final evolutionary states, 26.5b
 - helium, hydrogen gas mixture, 20.8
 - non-degenerate system, 10.5
 - non-interacting bosons, fermions, 10.4
 - non-relativistic, finite degeneracy, 24.5a
- envelope ionization mechanisms, 27.7, 27.8
- envelope solution,
 - fitting to core solution, 23.4c
- envelopes,
 - convective equilibrium, 20.6
 - effective convection, 20.5
 - pulsating stars, 27.5a, 27.6c, 27.8
 - radiative, 19.2a, 23.4a
 - radiative equilibrium, 20.3
 - temperature distribution, 20.7
- envelopes, convective,
 - convective efficiency with no nuclear sources, 14.7
 - structure, 20.6b, 21.2
- equation of state, 1.2,
 - density dependent pressure for homologous stars, 22.9
 - Fermi-Dirac, ideal, A.3, A.4
 - general, 19.2
 - internal energy, 9, 10.4, 15.5a
 - ionizing perfect gas mixture with radiation pressure, 9.18
 - pressure, 9, 10.4, 11
 - relativistic, limiting mass, zero-temperature white dwarfs, 25.2c
 - semi-degenerate, 24.4
 - white dwarfs, classical theory, 25.1
- equations of structure,
 - basic, 18.1
 - conditions at chemical discontinuity, 21.1d
 - dimensionless variables, 21.2
 - fitting integrations, 21.1c
 - inward integrations, 21.1b
 - model computation, 21.1
 - outward integrations, 21.1a
 - solution in outer radiative layers, 20.2
- equilibrium,
 - chemical, 9.12
 - local thermodynamic (LTE), 4
 - radiative, 5.2, 20.3
 - "secular," condition, 17.17a, 25.5, 27.5b
 - statistical, basic distribution law, 3.2
 - thermal, 5.1
 - thermodynamic, 3, 9.10
- equilibrium, convective
 - envelopes, 20.6
- equilibrium, radiative
 - envelopes, 20.3
- equilibrium, stellar, 25.5
- equipartition principle, 10.6,
 - application to some simple systems, 10.7
- evolution,
 - away from main sequence, 26.4
 - final stages, 26.5
 - formation of stars, 26.2a

- evolution (continued),
 - main-sequence phase, 26.3
 - observational approach, 26.1b
 - overall picture, 26.1a
 - pre-main-sequence phases, 26.2
 - “red giant regions,” 26.4
 - white dwarf significance, 25.7
- evolution survey, 26
- evolutionary tracks, 26.2b, 26.4, 26.5, 27.7e
- excitation energy,
 - compound nucleus, 17.9b
- excitation energy, E_I , 15.4
- “excitation” temperature, 7.1
- exhaustion phase,
 - helium, central, 26.4e
 - hydrogen, central, 26.4b
- exothermic, 17.9
- exothermic nuclear reactions,
 - low-energy cross section, 17.11
- “expansion time,” t_e , 26.2b
- extreme relativistic regime,
 - arbitrary degeneracy, 24.5b
 - complete degeneracy, 24.6b
 - degeneracy parameter evaluation, 24.2b
- Fermi-Dirac equations of state, ideal,
 - e^\pm pairs included, A.4
 - e^\pm pairs neglected, A.3
- Fermi-Dirac integrals, A.2
- Fermi-Dirac integrals, $F_k(\eta)$, 16.2, 24.2a,
 - great degeneracy, 24.2a1
 - partial degeneracy, 24.2a3
 - slight degeneracy, 24.2a2
- Fermi-Dirac integrals $F_k(\eta, \beta)$, 24.4,
 - asymptotic expansions, 24.7c
 - expansions, 24.7
 - large degeneracy, 24.7a
 - small degeneracy, 24.7b
- Fermi electron gas, 24.1
- Fermi energy, 24.1,
 - partially degenerate configuration, 25.3a
- Fermi momentum, 24.1
- fermions, non-interacting, statistical equilibrium, 10.4
- fitting core and envelope solutions, 23.4c
- fitting integrations at intermediate point, 21.1c
- flux,
 - conductive, 16.7
 - “diffusion” approximation, 6.4
 - isotropic source function, 6.2
 - net, 2.2, 6.3, 6.4
 - radiative, 5.2
 - vector net, 2.2, 8.1
 - vector net, total, 5.1
- flux, convective, 20.5,
 - actual gradient specified, 14.8
 - convective envelope, no nuclear sources, total flux specified, 14.7
 - mixing length theory, 14.2
 - pulsating stars, 27.6c
 - supersonic, 14.9
- flux, net,
 - in mixing length theory, 14.4
 - inward, 2.2
 - outward, 2.2
 - radiation pressure relation, 8.1, 8.2a
 - vector, 2.2
- flux, radiative,
 - mixing length theory, 14.1
- flux, total,
 - definition, 2.2
 - solution of mixing length theory equations, 14.7
- “forbidden regions,” 23.5b
- forces, restoring,
 - pulsating stars, 27.4
- formation of stars, 26.2a
- free energy, 9.10, 9.12,
 - plasma with electrostatic interactions, 15.5b
 - statistical mechanical, 10.3, 10.4
- “free-fall” time, t_{ff} , 0.2, 1.3, 17.5, 26.2b, 27.3a, 27.3b, 27.5b
- free-free opacity,
 - approximate formula, 16.6b
- free-free transitions, 2.8, 16.2
- free particle, 3.3b
- frequency, dimensionless
 - pulsating stars, 27.3
- frequency, pulsating stars, 27.1, 27.3a, 27.3b, 27.3c, 27.5a, 27.5b
- viscosity effects, 27.6d
- “frozen-in” fields,
 - flux conservation, 25.3d

- galactic clusters, 26.1b
- gamma mechanism, pulsating stars, 27.6b
- gammas,
 black body radiation, 9.16, 9.17, 24.9c
 completely degenerate, partial relativistic electron gas, 24.6c
 computation of, 9.14c
 extremely relativistic, completely degenerate electron gas, 24.6b
 mixture of $e\pm$ pairs and black body radiation, 24.9c
 non-relativistic, completely degenerate electron gas, 24.6a
 perfect gas, 9.15, 9.17
 perfect gas mixture, 9.18
 pulsating stars, 27.3a, 27.3b, 27.3c, 27.6b
 relation to specific heats, 9.14b
- Gamow peak, 17.13
- "Gamow penetration factor," 17.11
- Gaunt factor, 16.1, 16.2,
 bound-free, average, 16.6c
 free-free, average, 16.6b
- general relativistic effects, 26.5d
- generated luminosity,
 transformation under homology transformation, 22.5
- giants,
 location on H-R diagram, 0.3, 26.1b, 26.4
- giants, bright,
 location on H-R diagram, 0.3
- Gibbs distribution function, 10.3
- globular clusters, 26.1b
- gradient, actual,
 solution to mixing length theory equations with, 14.8
 superadiabaticity in convective envelope, 14.7
 supersonic, 14.9
 total flux given, 14.7
- gradient, radiative,
 actual gradient specified, 14.8
 supersonic, 14.9
- grains, 26.2b
- grand partition function, 10.3
- gravitational acceleration,
 effective, 14.5
- gravitational contraction, 17.4, 17.5,
 17.6, 23.6c,
 local energy release, 17.6
 some conditions for, 17.5
 white dwarfs, 25.4
- gravitational potential energy, 17.1, 17.2,
 17.3, 25.3, 27.1,
 change with total energy change, 25.3b
 polytropic stars, 23.1b
 total, partially degenerate configurations, 25.3a
- gravitationally contracting convective stars, 23.5b,
 limiting luminosity, 23.5c
- gravitationally contracting stars, 22.8,
 23.2, 23.3, 26.2c
- group velocity, 2.10a
- "guillotine factor," 16.6c
- Hayashi's "forbidden regions," 23.5b
- "Hayashi track," 26.2b, 26.2c
- heat, thermodynamic, 9.4
- heat gain and loss, pulsating stars, 27.4,
 viscosity effect, 27.6d
- "heating time," t_h , 26.2b
- helium, abundance effect on proton chain, 17.16
- helium burning,
 core phase, 26.4d
 shell source phase, 26.4f
- helium burning reactions, 17.18
- helium exhaustion (center) phase, 26.4e
- helium flash, 26.4h
- helium flash phase, 26.4c
- helium ionization zone,
 adiabats, integrated, 20.8
 convective elements, 20.6b
- helium second ionization, 27.1, 27.3c,
 27.7, 27.7a, 27.7b, 27.8
- "Henyey" techniques, 21.7
- Hertzsprung-Russell Diagram, 0.3
 cooling white dwarf track, 25.6b
 gravitationally contracting,
 completely convective stars, 23.5c,
 26.2c
- Hayashi's "forbidden regions," 23.5b,
 23.5c
- horizontal branch, 26.4h
- instability strip, 27.1, 27.7c

- Hertzsprung-Russell Diagram (continued),
 main-sequence phase, 26.3
 post-main-sequence phase, 26.4, 23.6b
 pre-main-sequence phase, 26.2
 pulsating variables, 27.1
 “red giant regions,” 26.4
 regions of effective envelope convection,
 20.5
- homogeneous (chemically) stars, 23.2
 homogeneous (constant density) star,
 23.1a
- homogeneous system, 9.1
 homologous change, 22, 25.5
 homologous contraction, 17.6, 22.8
 homologous stars, 22,
 definition, 21.2, 22.1
 degenerate configurations
 (completely), 25.2b, 25.2c
 permanently, 22.6, 22.7
 homology relations, 22.1,
 derivation, 22.3
 homology transformation,
 L_{gen} transformation, 22.5
 L_{rad} transformation, 22.4
 temperature transformation, 22.2
 horizontal branch, 26.4h
 “hydrodynamic” numerical integration
 technique, 21.7
- hydrogen,
 interpolation formulae for opacity, 20.4b
- hydrogen burning,
 main sequence phase, 26.3
 rate of energy production, 17.17
 shell source phase, 26.4c
- hydrogen burning reactions, 17.16
 hydrogen exhaustion (center) phase, 26.4b
- hydrogen ion,
 interpolation formulae for opacity,
 20.4b
- hydrogen ionization zone,
 adiabats, integrated, 20.8
 convective envelopes, 20.6b
 pulsating stars, 27.7b, 27.8
- hydrostatic equilibrium,
 completely degenerate configurations,
 25.1
 conditions, 1.1
 dense stars, 26.5a
 effects of departure from 1.3, 9.7
 equation, 1.1, 1.2
 homologous stars, 22.1
 mixing length theory, 14
 protostars, 26.2b
 thermodynamic, 3.1
 hydrostatic pressure,
 pure, and the pressure tensor, 2.5, 9.7
- “implicit hydrostatics” method, 21.7
 infinitesimal changes in thermodynamic
 quantities, 9.6
 infrared “stars,” 23.b, 26.1b
- inhomogeneous (chemically) models,
 23.6, 26.4
- instability, dynamical, 17.5, 26.2b,
 26.5a, 26.5b, 26.5d, 27.3b, 27.5b
 instability, pulsational, 27.1, 27.4, 27.5,
 27.6, 27.7, 27.8
- instability strip,
 location on H-R diagram, 27.7c, 27.8
 long-period edge, 27.7b
 width on H-R diagram, 27.7c
- integral exponential function, 6.2, 6.3
- intensity,
 average, 2.4, 6.3, 6.4
 constancy along every ray path in free
 space, 2.1b
 constancy of I_ν/μ_ν , 2.1c
 integrated, 2.1a
 inward, 6.2, 6.3
 moment (n^{th}), 6.2, 6.3
 outward, 6.2, 6.3
 specific, 2.1
 temperature dependence, 6.4
- intensity, average, integral equation, 7.3
- interior luminosity, definition, 5.1
 interior mass, definition, 1.1
 internal energy, 9.3, 9.13, 9.15, 9.16, 9.17
 9.18, 24.4, 24.9b
 explicit expression for non-interacting
 bosons and fermions in statistical
 equilibrium, 10.4
 non-degenerate system, 10.5
 statistical mechanical, 10.3
- internal energy equation,
 black body radiation, 9.16
 black body radiation and perfect gas
 mixture, 9.17
 degenerate electron gas, 24.4

- internal energy equation (continued),
 electron-positron pairs, 24.9b
 ionizing perfect gas mixture, 9.18
 perfect gas, 9.15
 internal energy equation of state,
 electrostatic corrections, 15.5a
 statistical mechanics, 10.4
 thermodynamics, 9
 internal energy of a star, 17.3, 25.3a, 25.5
 internal temperature, white dwarfs, 25.3
 determination, 25.3c
 distribution, 25.3c
 energy effect, 25.3d
 mass dependence, 25.3a
 radius dependence, 25.3a
 internal translational kinetic energy, 10.2
 interpolation formulae
 for opacity due to H and H⁻, 20.4b
 for opacities, 16.6e
 ion absorption, 16.8b
 ion density, critical, 15.5a
 ion kinetic energy,
 change with total energy change, 25.3b
 total, partially degenerate configuration,
 25.3a
 ion pressure, white dwarfs, 25.1
 ionization,
 mean degree, 9.18
 mean, per unit atomic weight, 15.1, 15.3
 numerical results, 15.6
 ionization electrons, number density,
 15.1, 15.2, 24.9
 ionization energy, 9.18
 ionization energy, E_I , 15.4
 ionization equation, Saha, 3.4, 9.12, 9.18,
 15.3, 15.5a
 envelopes, 20.5, 20.6, 20.7
 mass absorption coefficient, 16.4
 partially degenerate electron gas, 15.3
 photosphere, 20.4b
 ionization-excitation energy, E_I , 15.6
 ionization-excitation equilibrium, 3.1, 4
 ionization in interiors, 15
 ionization in perfect gas mixture,
 gammas and specific heats for,
 with radiation pressure included, 9.18
 ionization, mean, 15.4
 ionization mechanisms in envelope, 27.7
 ionization potential lowering, 15.5a
 ionization region, pulsating stars,
 27.7a, 27.7b
 ionization zone,
 convective envelope, 20.6b
 helium, integrated adiabats, 20.8
 hydrogen, integrated adiabats, 20.8
 pulsating stars, 27.6b, 27.6c
 isobars, 17.8
 isothermal gas sphere, 23.1b
 isotones, 17.8
 isotopes, 17.8

 kappa mechanism, pulsating stars, 27.6b
 Kelvin contraction to main sequence, 26.2c
 "Kelvin" time, 0.2, 5.1, 14.6, 17.4,
 II, 18.2, 21.7, 22.8, 23.5b, 26.2c,
 27.1, 27.4, 27.5b
 "Kelvin" time and hydrostatic equilibrium,
 0.2, 1.3
 kinetic energy,
 change with total energy change, 25.3b
 electron, 24.4, 24.5, 24.6, 24.7, 24.8
 electron, total, 25.3a, 25.3b
 internal translational, 10.3
 ion, total, 25.3a, 25.3b
 mass motions, 25.3d
 "mass motion" of continuous fluid, 17.2
 thermal, total, polytropic stars, 23.1b
 kinetic energy density,
 electron gas, partially degenerate, 24.4
 electron-positron gas, 24.9b
 general, 10.1, 10.2
 kinetic energy distribution,
 degeneracy effects, 25.3b
 kinetic theory,
 some results of, 10
 Kirchoff's Law, 3.1
 Klein-Nishina formula, 16.3
 Kramer's formula,
 free-free transitions, 16.2
 photo effect, 16.1
 Kramer's opacity,
 interpolation formula, 16.6e

 Lagrangian description,
 pulsating stars, 27.2
 thermodynamics, 9.6, 9.7
 virial theorem, 17.2
 Lagrangian variation, relative, 27.2

- Lane-Emden equation, 19.1, 23.1a
- Laplacian sound speed, 14.3, 20.5, 26.5a, 27.1
- layers, outer, 20
- layers, outer, radiative,
 - solution of structure equations, 20.2
- “leakage” of radiation, 6.4
- level population of atoms and ions, LTE, 7
- level spacing, 17.9b
- light curves, classical Cepheids, 27.1, RR Lyrae models, 27.8
- limiting mass, 25.3a, 25.3d,
 - completely degenerate configurations, 25.1f
 - partially degenerate configuration, 25.3a
- line shape function, 2.8a1, 2.8a2, 2.8b1
 - dispersive effects absent, 3.6
 - LTE, 4.1
 - refractive index 1, 3.6
 - thermodynamic equilibrium, 3.6
- linearized equations, pulsating stars, 27.2, 27.3
- lithium, 26.1b
- local energy release from gravitational contraction, 17.6
- local thermodynamic equilibrium (LTE),
 - condition, 7, 7.3
 - effect on S_ν and $B_\nu(T)$, 4.2
 - transfer equation, 4.1
- long-period edge of instability strip, 27.7b
- Lorentz-Lorenz model of a dielectric, 2.10d
- low energy exothermic nuclear reactions,
 - cross section, 17.11
- luminosity, 0.1, 19.3,
 - boundary conditions effect, 21.1b, 23.3
 - chemically inhomogeneous stars, 23.6a
 - convective element, 13.2, 14.6
 - convective envelope effect, 23.3
 - convective (completely) stars, 23.5b
 - convective, pulsating stars, 27.2
 - convective stars, 23.5a
 - core, envelope fitting, 23.4c
 - estimate, radiative equilibrium, 6.4, 18.2
 - function, 27.7e
 - generated, homology transformation, 22.5
 - limiting, completely convective stars, 23.5c
 - gravitationally contracting stars, 23.5c
 - neutrino, 25.5
 - neutron stars, 26.5c
 - order of magnitude formulae, 6.4, 18.2
 - photon, L_{rad} , 18.2, 25.5
 - point source vs. uniform source, 23.4d
 - protostars, 26.2b
 - radiated, homology transformation, 22.4
 - radiative equation, 27.2
 - relativistically collapsing stars, 26.5d
 - transformation in permanently homologous stars, 22.7
 - uniform energy source model, 23.3
 - white dwarfs, 25.3c
- luminosity equation, pulsating stars, 27.2, 27.5a
- luminosity, interior (H),
 - opacity effect, 27.6b
 - pulsating stars, 27.2, 27.5a, 27.6b, 27.6c
 - temperature effect, 27.6b
- magnetic energy,
 - mass effect, 25.3d
 - temperature effect, 25.3d
 - total, 17.2, 17.3, 25.3d
- magnetic induction, 2.10, 17.2, 25.3d
- magnetic pressure tensor, 17.2
- magnitudes,
 - bolometric, 0.3, 0.4
 - visual, absolute, 0.3
 - relative, of opacities, 16.6d
- main sequence, 0.1, 0.3, 0.4, 26.3,
 - homologous stars, 22.6, 22.7
 - Kelvin contraction, 26.2c
 - “zero-age,” 26.2c, 26.3
- main sequence phase, 23.6a, 23.6b, 26.3, 26.4a
- mass, 0.1,
 - absorption coefficient, 2.7
 - degenerate neutron gas, 26.5c
 - emission coefficient, 2.6
 - interior, completely degenerate configurations, 25.1d
 - limiting, 25.3a, 25.3d
 - limiting, completely degenerate configurations, 25.1f

- mass (continued),
 - limiting, partially degenerate configurations, 25.3a
 - maximum, zero-temperature stars, 25.3a, 26.5a
 - “Oppenheimer-Volkoff,” 26.5a
 - polytropic stars, 23.1b
 - proper, 26.5a
 - pulsating stars, 27.7e
 - zero-age main sequence, 26.3
- mass absorption coefficient, 2.7, 2.8b1, 2.8b2, 2.10b, 4.1
 - bound-free transitions, 16.4
 - free-free transitions, 16.4
 - mean (flux or radiation pressure), 8.2a, 8.2b
 - monochromatic, 16.4
 - Planck mean, 26.2b
 - Rosseland mean, 8.2
- mass abundance, relative, 15.1, 18.1, 18.3, 26
- mass concentration, relative,
 - limits, 23.6b
 - mean molecular weight variable, 23.6
 - opacity variable, 23.6a
 - shell source effect, 23.6c
- mass dependence,
 - internal temperature, White Dwarfs, 25.3a
- mass distribution,
 - relative, homologous stars, 22, 22.1
- mass emission coefficient, 2.6, 2.8a2, 2.8a3
- mass equation, pulsating stars, 27.2, 27.5a
- mass loss, 5.1, 26, 26.4h, 26.5, 26.5b, 27.8
- mass-luminosity-radius-composition relations, 18.2, 21.2
- mass-luminosity-radius relation,
 - uniform energy source model, 23.3
- mass-luminosity relation, 0.4, 18.2,
 - zero-age main sequence, 26.3
- mass-radius relation,
 - degenerate configurations, 25.2c
 - polytropic stars, 23.1b
- massive stars, 23.5, 25.3a, 26.5,
 - $e\pm$ pair effect, 24.9
 - stability, mass limit, 27.6a
- Maxwell-Boltzmann distribution law, 3.4b, 10.5
- Maxwell-Boltzmann systems, 10.5
- Maxwellian velocity distribution,
 - electron kinetic temperature, 7.1
- mean density,
 - relation to central density, 23.1b, 23.2, 23.3, 23.4d, 23.6c, 25.1e, 27.3c
- mean electron momentum in completely degenerate electron gas, 24.1
- mean electron de Broglie wavelength, 24.1
- mean free path,
 - atom, 4
 - electron, in plasma, 16.7
 - neutrino, 17.16
 - photon, 4, 4.1, 4.2, 6.1, 6.3, 6.4, 7.3
 - photon, photosphere, 20.1
 - turbulence element, 13.2, 14
- mean free path approximation,
 - opacity, electron-ion plasma, 16.7
- mean ionization, 15.4
- “mean ionization per unit atomic weight,” 15.1
 - calculation, 15.3
 - electron density, 15.2
- mean life,
 - carbon cycle elements, 17.17a
 - compound nucleus, 17.9b
 - nuclear reactions, 17.10
 - nucleus, 17.12
- mean molecular weight, 11, 15.1, 23.6,
 - completely ionized material, 15.1
 - free electron (μ_e), 24.3, 25.3a
 - helium, hydrogen gas mixture, 20.8
 - numerical results, 15.6
 - partially ionized material, 15.1
 - unionized material, 15.1
- mixing length, 13.2, 14
- mixing length theory of convection, 14,
 - pulsating stars, 27.2
 - solution of equations with supersonic convective velocities, 14.9
 - solution to equations with actual gradient specified, 14.8
 - solutions of equations with specified total flux, 14.7
- model computation, 21
- model integrations,
 - center developments, 21.5
 - fitting at intermediate point, 21.1c
 - invariants, 21.4
 - inward, 21.1b
 - outward, 21.1a

- model integrations (continued),
 - surface developments, 21.5
 - U - V plane, 21.4
- model integrations from center,
 - transformations, 21.3
- model integrations, numerical, 21.6, 21.7,
 - “Heney” technique, 21.7
 - “hydrodynamic” technique, 21.7
- models of uniform composition,
 - Vogt-Russell theorem “proof,” 18.1
- models, stellar, 23,
 - chemically inhomogeneous, 23.6
 - computation of, 21
 - convective stars, 23.5
 - Cowling, 23.4
 - point source, 23.4
 - polytropes, 23.1
 - standard, 23.2
 - uniform energy source, 23.3
- molecular absorption, 16.8c
- momentum distribution function,
 - non-degenerate, 10.5
- moment of inertia,
 - oscillatory, 27.3b
 - rotating stars, 25.3d
- momentum equation, pulsating stars,
 - 27.2, 27.5a
- monochromatic mass absorption
 - coefficient, 16.4
- negative ion absorption, 16.8b
- neon burning, 17.19
- neon-sodium cycle, 17.18c
- neutrino energy losses, 17.20, 26.5b
- neutrino flux from sun, 17.16
- neutrino losses, 26.4g, 26.5b
- neutrino processes,
 - pair, 17.20b
 - photo, 17.20a
 - plasma, 17.20c
- neutrinos,
 - energy production rate, 5.1
 - energy release in hydrogen burning,
 - 17.16
 - energy sink, 5.1
 - flux, 5.1
- neutron stars, 26.5a, 26.5b, 26.5c
- non-adiabatic radial oscillations,
 - linear, 27.5, 27.5
- non-adiabatic radial pulsations,
 - linear, 27.4, 27.5
- non-degenerate systems, 10.5,
 - perfect gas law, 10.5, 10.6, 24.4
- non-interacting “particles,”
 - pressure, 10.1
- non-linear calculations, recent,
 - for pulsating stars, 27.8
- non-relativistic regime,
 - arbitrary degeneracy, 24.5a
 - complete degeneracy, 24.6a
 - great degeneracy, 24.2a1
 - partial degeneracy, 24.2a3
 - slight degeneracy, 24.2a2
- non-resonant reaction rates, 17.13
- non-uniform chemical composition,
 - stability of radiative gradient, 13.3
- nuclear barrier height, 17.11
- nuclear barrier penetration
 - probability, 17.11
- nuclear degeneracy, 24.2a2, 26.5a, 26.5b,
 - 26.5c
- nuclear energy generation, 17.7,
 - effect on pulsational stability, 27.6a
- nuclear energy generation rate, 5.1, 17.12,
 - 17.13, 17.14, 17.16, 17.17, 17.18,
 - 17.19, 25.5
- nuclear radius,
 - resonance interaction, 17.9a
- nuclear reaction,
 - Bohr picture, 17.9
 - cross sections, 17.10
 - low energy exothermic cross section,
 - 17.11
 - resonance, 17.9a
- “nuclear” time, t_{nuc} , 0.2, 17.7,
 - II, 18.2, 26.1b
 - pure hydrogen star, 17.7
- nuclei, atomic,
 - basic properties, 17.8
- nucleosynthesis, 17, 26
- nucleus,
 - binding energy, 17.8
 - compound, 17.9b
 - Blatt-Weisskopf assumptions, 17.9a
 - mean life, 17.12
- numerical integration, 21.6, 21.7,
 - “Heney” technique, 21.7
 - “hydrodynamic” technique, 21.7

- numerical results,
 - completely degenerate configurations in hydrostatic equilibrium, 25.1g
 - Cowling model, 23.4d
 - for particular chemical composition, 15.6
 - opacity, A.N. Cox, 16.9
 - opacity due to H, H^- , 20.4c
 - point-source model, 23.4d
 - polytropic stars, 23.1b
- observational data, 0
 - evolution, 26.1b
 - pulsating stars, 27.1
- occupation number $q(\eta, x)$, 24.1
- opacities, 8.2a, 16, 18.2,
 - A.N. Cox results, 16.9
 - approximate formulae, 16.6
 - atmospheres, 20.1
 - bound-free, approximate, 16.6c
 - chemically inhomogeneous models, 23.6
 - composition discontinuity, 21.1d
 - Compton scattering, Rosseland mean, 16.6.a
 - conductive, 16.7
 - convective envelopes, 20.6b
 - convective instability, 13.4
 - Cowling model, 23.4d
 - due to H, H^- , interpolation formulae, 20.4b
 - free-free, approximate, 16.6b
 - homologous stars, 22.4
 - interpolation formulae, 16.6c
 - ionization zone, 20.6b
 - outer stellar layers, 20.2, 20.3, 20.4
 - pulsating stars, 27.6b, 27.8
 - radiative zero envelope, 20.3
 - relative magnitudes, 16.6d
 - Rosseland mean, 8.2, 16.5
 - Rosseland mean, total, 16.6d
 - standard model, 23.2
 - Thomson electron scattering,
 - approximate, 16.6a
 - total effective, 16.7
 - variable, 23.6a
 - white dwarfs, 25.3c
- opacity law, 16.6e, 18.2, 20.2, 20.3, 20.4b, 22.4, 22.6, 23.3, 23.4, 25.3c, 27.2, 27.6b
- opaque material, 2.10, 4.1
- “Oppenheimer-Volkoff” mass, 26.5a
- optical depth, 2.7, 6.1, 6.3, 20.1, 23.4d, 23.6b,
 - normal, 6.1, 23.6b
- optical thickness, 2.7, 4.1
- oscillations, radial,
 - adiabatic, linear, 27.3
 - non-adiabatic, linear, 27.4, 27.5
- oscillations, self excited, 27, 27.8,
 - hard, 27.8
 - soft, 27.8
- oscillatory solutions,
 - conditions, 27.3a
- outer layers, 20,
 - radiative, solution of structure equations, 20.2
- overshoot, convective, 14.5
- oxygen burning, 17.19
- pair neutrino process, 17.20b
- pair production, 16.8g
- pairs, electron-positron, 24.9
- partial relativistic regime,
 - complete degeneracy, 24.6c
- particle emission, from nuclei, 17.9
- particles, non-interacting,
 - pressure in a system of, 10.1
- partition function,
 - atomic, 3.4c, 15.5a
 - continuous states, $\mathcal{B}(T)$, 10.5
 - discrete states, $B(T)$, 10.5, 10.6
 - grand, 10.3
 - helium, hydrogen gas mixture, 20.8
- partition function, $G(T)$, 10.5, 16.2, 24.2a
- Pauli exclusion principle,
 - free electrons, 24.1
 - general form, 24.1
- pencil of radiation, 2.1
- perfect gas, 10.5,
 - constant specific heats,
 - application of equipartition principle, 10.7b
 - monotonic, application of equipartition principle, 10.7a
 - undergoing ionization, gammas,
 - specific heats for, 9.18
- perfect gas law, 1.2,
 - non-degenerate systems, 10.5, 10.6

- perfect gas, simple,
 - gammas and specific heats for, 9.15
 - mixture of black body radiation and, 9.17
- period, pulsating stars, 27.1, 27.3c, 27.4, 27.5b, 27.6d, 27.7e, 27.8
- period-luminosity relation, 27.7d,
 - classical cepheids, 27.1
 - RR Lyrae variables, 27.8
- period-mean density relation, 27.1
 - pulsating stars, 27.3d
- Pfaffian differential expression, 9.8
- phase lag discrepancy, classical cepheids, 27.1, 27.8
- phase shifts,
 - pulsating stars, 27.8
- phase space,
 - "box"-normalization, 3.3b
- phase velocity, 2.10a
- photo effect, 16.1
- photo neutrino process, 17.20a
- photo-excitation, 16.8f
- photon absorption,
 - auto-ionization, 16.8f
- photons,
 - chemical potential, 9.12
- photospheric boundary conditions,
 - luminosity, convective star, 23.5a
- photospheric conditions, 20.1
- photospheric regions,
 - behavior of solutions, 20.4a
 - radiative transfer, 20.4
- physical conditions in interiors, 1, 18.2
- Planck function, 3.1,
 - deep interior, 6.4
 - departure of S_ν from $B_\nu(T)$, assuming LTE, 4.2
 - integrated, 3.7a
- Planck mean mass absorption coefficient, 26.2b
- Planck radiation law, 3.1, 3.5
- plasma, electrostatic interactions, 15.5, 15.5a, 15.5b
- plasma frequency, 2.10d, 17.20c
- plasma neutrino process, 17.20c
- "plasmons," 17.20c
- point-source model, 19.2a, 23.4,
 - numerical results, 23.4d
- polytrope applications,
 - completely degenerate configurations, 25.1g, 25.2c
 - envelope approximations, 20.3
 - protostars, 26.2b
 - rotation energy, 25.3d
- polytropic changes, 12
- polytropic exponents, 12, 19.2
- polytropic index, 12, 19.2, 23.6,
 - effective, 12, 20.7, 21.1d, 23.4a, 23.4d, 23.6
 - radiative gradient, 13.1, 20.2, 20.3
- polytropic stars, 19.2, 23.1,
 - homology, 22.9
 - mathematical properties, 23.1b
 - physical properties, 23.1b
- polytropic structure,
 - envelopes, 20.3
- positron density,
 - e^\pm pairs, 24.9
- positron emission,
 - Q -value, 17.16
- potential energy,
 - gravitational, 17.1, 17.2, 17.3, 25.3a, 27.1
- Poynting vector, 2.10c
- pre-main sequence phase, 23.5, 26.2
- pressure,
 - average, 10.1, 10.2
 - central, 1.2, 11, 23.1b
 - convective envelope, 20.6b
 - electron, 24.4, 24.5, 24.6, 24.7, 24.9b, 25.3a
 - electron, gas, total, relation, 9.18
 - electron-positron gas, 24.9b
 - estimates of interior values, 1.1
 - explicit expression for non-interacting bosons and fermions in statistical equilibrium, 10.4
 - expression for $p_{r,\nu}$ in terms of S_ν , isotopic source function, 6.2
 - function only of density, 19.1, 22.9, 23.1
 - gas, 1.2
 - gas to total ratio, β , 9.17, 11, 14.3, 22.2, 23.2, 24.9
 - gravitational, 1.1, 1.2, 18.2, 24.6a, 25.3b
 - homologous stars, 22.1

- hydrogen burning shell source phase, 26.4c
- in a system of non-interacting "particles," 10.1
- ion, white dwarfs, 25.1
- ionization zone effect, 20.6b
- mean, 1.2, 2.5b
- photons, 10.2
- photospheric, 20.1, 20.4
- polytropic stars, 23.1b
- "quasi-photons," 2.5, 10.2
- radiation, 1.2, 2.5, 6.3, 6.4, 11
- radiation, integrated, 2.5a
- standard model, 23.2
- statistical mechanical, 10.3
- uniform energy source model, 23.3
- variation, pulsating stars, 27.4
- pressure balance, 1.3
- pressure equation of state,
 - electrostatic corrections, 15.5b
 - radiation pressure effects, 11
 - statistical mechanics, 10.4
 - thermodynamics, 9
- pressure gradient, 1.1, homologous stars, 22.1
- pressure, radiation, 1.2, 2.5, 6.3, 6.4, 10.2, 11
 - flux relation, 8.1, 8.2b
 - integrated for black body, 3.7d
- pressure scale height,
 - gas, 14.5
 - photospheric, 20.1
 - pulsating stars, 27.3
 - total, 14.1
- pressure tensor, 2.5b, 10.1,
 - magnetic, 17.2
 - reducibility to pure hydrostatic pressure, 9.7
 - vector net flux and, 8.1
- pressure, turbulent,
 - mixing length theory, 14
- profile factor, $\gamma(E)$, 17.10
- proper mass, M_{pr} , 26.5a
- proton chain, 17.16, 17.17b
- protostar collapse, 17.5, 26.2a, 26.2b
- protostars, 26.2a, 26.2b
- pulsating stars, 27,
 - calculations, non-linear, recent, 27.8
 - evolutionary tracks, computed, 27.7e
 - instability, 27.4, 27.5, 27.6, 27.7, 27.8
 - Lagrangian description, 27.2
 - observational data survey, 27.1
 - period-luminosity relation, 27.7d
 - period-mean density relation, 25.3d, 27.1, 27.3
 - stability, 27.4, 27.5, 27.6, 27.7, 27.8
 - time scales, 27.1
- pulsation constant, Q , 27.1, 27.3c
- pulsation energy, 25.3d, 27.3c,
 - viscosity effect, 27.6d
- pulsation period, 27.1, 27.3c, 27.4, 27.5b, 27.6d, 27.7e, 27.8
- pulsational instability, 27.4, 27.5, 27.6, 27.7, 27.8,
 - damping mechanism, 27.4, 27.6b, 27.7a, 27.7b, 27.7c, 27.8
 - damping time, 27.6d
 - driving mechanism, 27.4, 27.7a, 27.7b, 27.7c, 27.8
- pulsational stability, 27.4, 27.5b, 27.6,
 - convection effects, 27.6c
 - convective transfer, 27.6c
 - damping time, 27.6d
 - gamma mechanism, 27.6b
 - ionization effects, 27.6b
 - kappa mechanism, 27.6b
 - nuclear energy generation, 27.6a
 - radiative transfer, 27.6a, 27.6b
 - viscosity, 27.6d
- pulsations, radial,
 - non-adiabatic, linear, 27.4, 27.5
- pycnonuclear reactions, 17.15, 25.4
- quasi-convection, 13.3
- quasi-photons, 2.10a, 2.10d, 8.1, 10.2, 17.20c,
 - pressure, 10.2
 - translational kinetic energy, 10.2
- quasi-static infinitesimal adiabatic changes, 9.14
- quasi-static (or reversible) processes, 9.5
- quasi-stationary states,
 - compound nucleus, 17.9b
- RR Lyrae variables, 27.1, 27.8
- RV Tauri stars, 27.1
- radial motion, spherically symmetric, 27.2

- radial oscillations (pulsations),
 - adiabatic, linear, 27.3
 - non-adiabatic, linear, 27.4, 27.5
 - non-adiabatic, non-linear, 27.8
- radial pulsations, non-adiabatic, linear,
 - eigenvalues, integral expressions, 27.5b
 - equations, direct integration, 27.5a
 - investigation by non-linear techniques, 27.5, 27.8
 - mathematical problem, 27.5
 - time behavior of solutions, 27.5b
- radiated luminosity,
 - transformation under homology transformation, 22.4
- radiation,
 - black body, 3.5, 6.4, 9.16, 9.17, 10.4, 11, 24.9c
 - black body, properties of, 3.7
 - degenerate configurations, 25.3
 - energy density, 2.3
 - "leakage," 6.4
 - Planck law, 3.5
 - polarized, 3.6
 - solar, specific intensity, 2.1b
 - theory, 2
- radiation constant, a , 3.7c, 9.11, 24.9b, 24.9c
- radiation field,
 - axially symmetric, 2.1
 - deep interior, 4
 - general, 2.1
 - homogeneous, 2.1
 - isotropic, 2.1, 2.2, 2.3
 - LTE, 4.1
 - Planck function, 3.1, 3.5
 - relaxation time, 2.9a
 - time independent, 2.1
- radiation pressure, 1.2, 2.5, 6.3, 6.4, 10.2, 11,
 - convective instability, 13.1
 - flux relation, 8.1, 8.2a
 - importance of in interiors, 11
 - integrated, 2.5a, 3.7d
 - ionizing perfect gas mixture, 9.18
 - isotropic, 2.5
 - monochromatic, 2.5
 - tensor, 2.5, 2.5b, 8.1
 - tensor, and vector net flux, 8.1
- radiative capture, 17.9
- radiative damping, 27.6b
- radiative envelope, 19.2a, 20.3, 23.4a, 27.6b, 27.7a, 27.8
- radiative equilibrium, 5.2
- radiative gradient,
 - actual gradient specified, 14.8
 - adiabatic, 14.1
 - Cowling model, 23.4d
 - fictitious, 14.1, 14.4
 - ideal gas, black body radiation mixture, 13.3
 - polytropic index, 13.1
 - stability of, 13, 13.1, 13.3, 13.4
 - standard model, 23.2
 - uniform energy source model, 23.3
- radiative layers, outer
 - solution of structure equations, 20.2
- radiative transfer, 20.2,
 - effects on pulsational stability, 27.6a, 27.6b
 - photospheric regions, 20.4, 20.6b
 - pulsating stars, 27.2
 - sub-photospheric regions, 20.4, 20.6b
 - white dwarfs, 25.3b
- radiative transfer equation, 2.9
 - atomic parameters, 2.9b
 - LTE, 7
 - solutions, 6
 - time derivative included, 2.9a
- radiative zero solution, 20.3, 23.3
- radii, 0.1
- radius,
 - degenerate (completely) configuration, 25.1c
 - degenerate (partially) configuration, 25.3b
 - mean molecular weight variable, 23.6
 - neutron stars, 26.5c
 - pulsational stability, 27.7a, 27.7b
 - shell source effect, 23.6c
 - zero-age main sequence, 26.3
 - zero-temperature, 25.3d, 25.6a
- radius dependence,
 - internal energy, White Dwarfs, 25.3a
- Raman scattering, 2.8a3, 16.8e
- ray path, 2.9, 6.1,
 - radius of curvature, 2.9, 6.1
- Rayleigh scattering, 16.8d
- Rayleigh's principle, 27.3b

- reaction, nuclear,
 - Bohr picture, 17.9
 - cross section, 17.10, 17.11
 - low energy exothermic cross section, 17.11
- reaction rate, thermonuclear, 17.12
 - non-resonant contribution, 17.13
 - resonant contribution, 17.14
 - screening effect, 17.15
- reactions,
 - alpha-particle capture, 17.18b
 - carbon burning, 17.19
 - helium burning, 17.18
 - hydrogen burning, 17.16
 - neon burning, 17.19
 - oxygen burning, 17.19
 - triple alpha, 17.18
- reciprocity relation, 9.11, 9.12
- ‘red giant regions’ evolution, 26.4, 27.7d, 27.7e
- Red variables, 27.1
- reduced width, 17.9b
- refractive index, 2, 2.10a, 2.10b, 2.10d, 3, 4, 5, 6, 7, 8,
 - effect on Rosseland mean opacity, 8.2
 - electromagnetic wave in a plasma, 2.10.a, 17.20c
 - gradient, 2.9, 5.2, 6, 8.1
- “relativistic collapse,” 26.5b, 26.5d
- relativistic regime,
 - arbitrary, 24.7a, 24.7b
 - extreme, 24.2b, 24.5b, 24.6b
 - non-, 24.2a, 24.5a, 24.6a
 - partial, 24.6c
- relativity parameter, β , 24.4
- relaxation time,
 - mechanical, 3.1
 - radiation field, 2.9a
 - reaction, 3.1
 - thermal, 3.1
- resonances, occurrence of,
 - Bohr picture, 17.9a
- resonant reaction rates, 17.14
- rest mass of material, fixed, 15
- restoring forces,
 - pulsating stars, 27.4
- reversible (or quasi-static) process, 9.5
- Reynolds number, 14.3
- Reimann zeta function, table, 24.2a 1
- Rosseland mean mass absorption coefficient, 8.2
 - “modified,” non-unity refractive index, 8.2b
 - unity refractive index, 8.2a
- Rosseland mean opacities, 16.5, A.N.Cox results, 16.9
 - Compton scattering, 16.6a
 - total, 16.6d
- rotation energy, 25.3d
- Saha ionization equation, 3.4, 9.12, 9.18, 15.3, 15.5a,
 - envelopes, 20.5, 20.6, 20.7
 - mass absorption coefficient, 16.4
 - partially degenerate electron gas, 15.3
 - photosphere, 20.4b
- saturation of atomic, ionic levels, 16.4
- scale height,
 - electron density, 6.1
 - gas pressure, 14.5
 - total pressure, 14.1
- scale length, ℓ_1 , 25.1c, 25.2b,
 - physical interpretation, 25.2a
- scattering,
 - absorption, 2.8b2
 - Compton, 2.8a3, 2.8b2
 - Compton, Rosseland mean opacities, 16.6a
 - direct, 2.8a3, 2.8b2
 - emission, 2.8a3
 - induced, 2.8a3, 2.8b2
 - induced (coherent), 2.9b
 - Raman, 16.8e, 2.8a3
 - Rayleigh, 16.8d
- scattering opacity, Thomson electron, 16.6a
- Schwarzschild dimensionless variables, 21.2
- Schwarzschild radius, 26.5a, 26.5d
- screening
 - by electrons, 17.15
- screening factor, f , 17.5
 - alpha capture, 17.18b
 - carbon burning, 17.19
 - oxygen burning, 17.19
 - triple alpha reaction, 17.18a
- secular stability, 18.2, 25.3a, 25.5, 27.5b
 - degenerate (partially) configurations, 25.3b
 - white dwarfs, 25.5

- self-excited oscillations, 27, 27.8,
 - hard, 27.8
 - soft, 27.8
- semi-convective zone, 23.6a, 26.4
- shell source, 23.6c, 26.4c, 26.4f
- shell source phase,
 - helium burning, 26.4f
 - hydrogen burning, 26.4c
- shock waves,
 - dynamical collapse, 26.5b
 - protostars, 26.2b
- simple system,
 - definition, 9.1
- solar constant, 2.1b
- solar radiation,
 - specific intensity, 2.1b
- Sommerfeld's Lemma, 24.2a1
- source function, 4.1, 6.1,
 - departure of S_ν from $B_\nu(T)$,
 - assuming LTE, 4.2
 - integral equation, 7.3
 - isotropic, 6.2
- sources of energy, 17
- specific heats, 9.13, 18.2, 25.3b,
 - black body radiation, 9.16, 9.17
 - ionizing perfect gas mixture, 9.18
 - perfect gas, simple, 9.15, 9.17
 - polytropic change, 12
 - pressure constant, 9.13
 - relations between gammas and, 9.14b
 - volume constant, 9.13
- specific heats, constant,
 - application of equipartition principle to perfect gases, 10.7b
- spectral types, 0.1, 0.3
- speed of convecting elements,
 - average, in mixing length theory, 14.3
 - sun, 14.6
 - upper limit, 14.6
- stability against convection, 13, 13.1, 13.3, 13.4
 - general discussion, 13.4
 - radiative zero solution, 20.3
- stability coefficient, pulsating stars, 27.4, 27.5a, 27.5b, 27.6d
- stability, dynamical, 17.5, 26.2b, 26.5a, 26.5b, 26.5d, 27.3a, 27.3b, 27.5b
- stability of the radiative gradient, 13
- stability, pulsational, 27.4, 27.5b, 27.6, 27.7, 27.8
- stability, secular, 18.2, 25.3a, 25.5, 27.5b,
 - degenerate (partially) configurations, 25.3b
 - white dwarfs, 25.5
- standard model, 23.2
- stars, 0 through 27
- statistical equilibrium,
 - non-interacting bosons and fermions, 10.4
- statistical mechanics, 10.3
- Statistical Mechanics and Kinetic Theory,
 - some results of, 10
- statistical weight, 3.3a, 3.3b, 10.3, 10.4
- steady state equations
 - for two-level atom, 7.2, 7.3
- steady state, statistical, 7
- Stefan-Boltzmann constant, 3.7a, 3.7c
- stellar phenomena, 0 through 27
- stoichiometric coefficients, 9.12
- stress tensor, 2.5b
- structure,
 - special cases, 19
- structure equations,
 - basic, 18.1
 - conditions at chemical composition
 - discontinuity, 21.1d
 - dimensionless variables, 21.2
 - fitting integrations, 21.1c
 - inward integrations, 21.1b
 - model computation, 21.1
 - outward integrations, 21.1a
 - solution by "Heney" and "hydrodynamical" techniques, 21.7
 - solution in outer convective layers, 20.6, 20.7
 - solution in outer radiative layers, 20.2
- subgiants,
 - location on H-R diagram, 0.3
- sub-photospheric regions,
 - radiative transfer, 20.4
- sun,
 - convective efficiency, 14.6
 - convective velocity, 14.6
 - gas pressure, 15.5b
 - Kelvin time, 17.4
 - lifetime, upper limit, 17.7

- sun (continued),
 - neutrino flux, 17.16
 - temperature gradient, average, 4
 - turbulence element lifetime, 14.6
- superadiabaticity in convective envelope,
 - 13.1, 13.2, 14.6, 14.7, 14.8, 14.9
 - inefficient convection, 14.6, 14.7
 - large convective efficiency, 14.6, 14.7
- superadiabaticity in deep interior,
 - estimate of degree, 13.2, 14.6
 - temperature gradient, 13.1
- supergiants,
 - location on H-R diagram, 0.3
- supersonic convective velocities,
 - mixing length theory equations, 14.9
- temperature,
 - central, 1.2, 18.2, 21.1a, 22.2, 23.1b, 23.4d, 23.6, 25.3c, 26.3, 26.4
 - convective (completely) stars, 23.5a, 23.5b
 - effective, 0.1, 0.3, 20.1, 20.5, 20.6b, 23.5, 26.3, 26.4, 27.1, 27.3, 27.6c, 27.7b, 27.7c, 27.7e
 - effective to mean, ratio, 6.4
 - electron kinetic, 4.1, 7.1
 - estimates of interior values, 1.2, 18.2
 - "excitation," 7.1
 - kinetic, 7.1
 - maximum mean, 25.3d
 - mean, 1.2, 18.2, 23.4d, 23.6, 25.3
 - mean molecular weight variable, 23.6
 - polytropic stars, 23.1b
 - pulsating stars, 27.2
 - shell source effect, 23.6c
 - standard model, 23.2
 - surface, 0.3
 - uniform energy source model, 23.3
 - zero-age main sequence, 26.3
- temperature distribution,
 - grey-atmosphere approximation, 20.1
 - in envelope, 20.7
- temperature, effective,
 - convective envelope, 20.6b
 - pulsating stars, 27.8
- temperature exponent, ν , 17.12, 17.13, 17.14,
 - carbon burning, 17.19
 - carbon cycle, 17.17a
 - helium burning, 17.18a
 - neon burning, 17.19
 - oxygen burning, 17.19
 - pair neutrino process, 17.20b
 - photo-neutrino process, 17.20b
 - plasma neutrino process, 17.20c
 - proton chain, 17.17b
- temperature exponent, χ_T , of the pressure equation of state,
 - 9.13, 9.15, 9.16, 9.17, 9.18, 12, 13.3, 24.6a, 24.6b, 24.6c, 24.9c
- temperature gradient, 4, 13, 14.1, 14.5,
 - adiabatic, ∇_{ad} , 14.1, 14.5, 14.7, 14.9
 - average, ∇ , 14.1, 14.5, 14.6, 14.7, 14.9
 - central, 21.1a
 - composition discontinuity, 21.1d
 - convective element, ∇' , 14.1, 14.5, 14.6, 14.7, 14.8, 14.9
 - convective envelope, 20.6b
 - ionization zone effect, 20.6b
 - mixing length theory, 14.1
 - radiative, 8, 8.2a, 8.2b
 - radiative (fictitious), ∇_r , 14.1, 14.4, 14.5, 14.7, 14.8, 14.9, 20.2, 20.4, 20.4a, 20.4c, 21.1d
 - sink for high frequency radiation, 5.2
 - source for low frequency radiation, 5.2
 - superadiabatic, 13.1, 20.6a
 - temperature gradient, ΔT , 14.1, 14.6, convective (completely) star, 23.5a
- temperature, internal,
 - white dwarfs, 25.3
- temperature transformation under homology transformation, 22.2
- thermal conduction, electron, 16.7
- thermal equilibrium,
 - definition, 9.1
 - stellar, 5.1, 19.1
 - thermodynamic, 3.1
- thermodynamic equilibrium, 3,
 - general discussion of, 3.1
 - conditions for, 9.10, 9.12
- thermodynamic potential, 9.10, 9.12
- thermodynamics, 9,
 - definitions, 9.1
 - exactness, 9.8
 - first law, 9.3, 9.7
 - fundamental identity, 9.12
 - second law, 9.9
 - "zeroth" law, 9.2

- thermonuclear reaction rate, 17.12,
 - non-resonant contribution, 17.13
 - resonant contribution, 17.14
 - screening effect, 17.15
- Thomson electron scattering opacity, approximate formulae, 16.6a
- Thomson scattering, 2.8a3, 16.3,
 - absorption coefficient, Rosseland mean, 16.5
 - cross section, 16.3
 - Klein-Nishina formula, 16.3
 - mass absorption coefficient, monochromatic, 16.4
- time scales, 0.2, II,
 - contraction, t_{con} , 17.4
 - dynamical t_{Σ} , 27.5b
 - evolutionary significance, 26.1a
 - “free fall,” t_{ff} , 0.2, 1.3, 17.5, 26.2b, 27.3a, 27.3b, 27.5b
 - gravitational, t_{grav} , 25.5
 - gravitational contraction, t_{grav} , 17.4
 - “Kelvin,” t_{K} , 0.2, 5.1, 14.6, 17.4, II, 18.2, 21.7, 22.8, 23.5b, 26.2c, 27.1, 27.4, 27.5b
 - numerical integrations, 21.7
 - nuclear, 0.2, 17.7, II, 18.2, 26.1b
 - protostars, 26.2b
 - pulsating stars, 27.1, 27.5b, 27.6d
- total energy of a star, 17.3, 25.5
- transfer, convective, 14.2, 14.4, 14.6, 23.5 envelopes, 20.6
 - Hertzsprung-Russell diagram, 20.5
 - post-main sequence phase, 26.4
 - pre-main sequence phase, 26.2
 - pulsational stability, 27.6c
 - white dwarfs, 25.3c
- transfer equation,
 - convergence of power series solution, 6.4
- excitation temperature, 7.1
- formal solution, 6.1
- simultaneous solution with two-level atom steady state equations, 7.3
- kinetic temperature, 7.1
- LTE, time-independent, 4.1
- power series solution, 6.3
- scattering (induced) effect, 2.9b
- solution, 6
- thermodynamic equilibrium, 3.6
- transfer, radiative,
 - effects on pulsational stability, 27.6a, 27.6b
 - photospheric regions, 20.4
 - sub-photospheric regions, 20.4
- transition probability, 2.8a
- transition region,
 - convection zone, 20.6a, 20.6b
 - pulsating stars, 27.5b, 27.6b, 27.7a, 27.7b
 - white dwarfs, 25.3c
- transitions,
 - bound-bound, 2.8
 - bound-free, 2.8
 - collisional, 7, 7.1
 - free-free, 2.8, 16.2
 - radiative, 7, 7.2
- translational kinetic energy, internal, 10.2
- transmission factor, 17.9a
- “transparent” media, 2.10a, 2.10d
- triple alpha reaction, 17.18a
- turbulence element,
 - convective core lifetime, 14.6
 - mean free path, 13.2, 14
 - mean life, 13.2, 14
- turbulent energy, 25.3d
- turbulent pressure,
 - upper limit, 14.6
- U - V plane, 21.4
- uniform chemical composition,
 - stability of radiative gradient, 13.1
- uniform composition models,
 - Vogt-Russell theorem “proof,” 18.1
- uniform energy source model, 23.3,
 - convective, limiting luminosity, 23.5c
- upper limits,
 - in mixing length theory, 14.6
- Urca process, 17.20
- velocities, supersonic convective,
 - mixing length theory equations, 14.9
- velocity curves,
 - classical cepheids, 27.1
 - RR Lyrae models, 27.8
- “virial of Clausius,” 17.2
- virial theorem, 17.2,
 - Chandrasekhar-Schönberg limit, 26.4c

- virial theorem (continued),
 - degenerate configurations, 25.3a, 25.3d
 - gravitational contraction, 17.4, 17.5
 - polytropes, 23.1b
 - pulsating stars, 27.1
 - white dwarfs, 25.5
- viscosity effects on pulsational stability, 27.6d
- viscosity pressure, artificial, 21.7
- visual magnitudes, absolute, 0.3
- Vogt-Russell Theorem, 18,
 - application to Cowling model, 19.3
 - homology transformations, 22
 - physical interpretation, 18.2
 - “proof” for uniform composition models, 18.1
 - variable chemical composition case, 18.4
 - violation, 18, 25.3a
- W Virginis variables, 27.1
- wave equation, adiabatic, 27.3, 27.3b, 27.3c,
 - eigenfunctions, 27.3b, 27.3c
- wave equation, non adiabatic, 27.3,
 - eigenfunctions, 27.5b
 - viscosity effects, 27.6d
- white dwarfs,
 - “classical” theory, 25.1
 - contraction, 25.3b
 - “cooling curve,” 25.3a
 - cooling times, 25.6
 - degeneracy effects on equations of state, 24
 - dense, 23.5
 - energy source, 25.4
 - evolutionary significance, 25.7
 - gravitational contraction, 25.4
 - internal chemical composition, 25.4
 - internal temperature, 25.3
 - limiting mass, 25.1f
 - location on H-R diagram, 0.3, 25.6b
 - luminosity, 25.3c
 - opacity, 25.3c
 - physical interpretation, 25.2
 - pulsational instability, 27.6a
 - radiation, 25.3
 - secular stability, 25.5
 - “transition region,” 25.3c
 - virial theorem, 25.3
- white dwarfs, theory, 25
- width (of a nuclear state), 17.9b, reduced, 17.9b
- work rate, pulsating stars, 27.4
- “zero-age” main sequence, 26.2c, 26.3
- zero-temperature radius, 25.1c, 25.3b, 25.3d, 25.6a
- zero-temperature stars, 25.1, 25.2, 26.5a,
 - energetics of approach, 25.3b
 - maximum mass, 25.3a, 26.5a
 - neutron stars, 26.5c
 - white dwarfs, 25.1, 25.2
- zeta function, Riemann, table, 24.2a1